


Leg Frames & Leg Extensions




For maximum adjustability, **leg frames (LF)** are available in six different sizes: **15", 22", 36", 48", 66" and 84"**. The same frames are used with both Stationary and Rolling Dock systems.

These leg frames are combined with our adjustable **leg extensions** to conform with the natural slope of the lake bed. They are available in two different styles – LX for Stationary Dock (pictured) and LXR for Rolling Dock.



Leg Extension Lock

This optional bracket keeps the leg locked at the proper height and prevents it from extending during rough weather.



1) Dock to Water Line

is measured from the top of the dock to the top of the water. A minimum of 18" is recommended. In many cases, more than 18" is required to accommodate rough waves and other conditions. Your dealer can help you select the proper dock height for your lake conditions.

2) Water Depth

is measured from the water line to lake bed.

Classic Seasonal Dock Water Depths



Leg Frame*	Leg Extensions	Height w/Leg Retracted	Height w/Leg Extended	Total Amount of Adjustment	Maximum Water Depth**
LF154	LX10	17"	27"	10"	9"
LF224	LX17	24"	41"	17"	23" (1'11")
LF364	LX31	38"	69"	31"	51" (4'3")
LF484	LX49	56"	99"	43"	81" (6'9")
LF664	LXH64	74"	130"	56"	112" (9'4")
LF844	LXH82	91"	165"	74"	147" (12'3")

Water Depths

This chart lists the standard combinations of **Leg Frames** and adjustable **Leg Extensions** that can be used to reach water depths up to 147" (12'3").

* Leg Frames are also available in 6' and 8' wide sections.

** Maximum water depth is based on 18" from the top of the dock to the water line. Some lake conditions may require additional clearance.

Dock Sections - Aluminum with Eon Marine® Sideboards Ship Weight (lbs.)

ADE2	2' Alum. section, Eon Marine® sideboards	72
ADE4	4' Alum. section, Eon Marine® sideboards	92
ADE4LF2	4' Alum. section, Eon Marine® sideboards for use with leg frames	92
ADE6	6' Alum. section, Eon Marine® sideboards	118
ADE6LF2	6' Alum. section, Eon Marine® sideboards for use with leg frames	118
ADE8	8' Alum. section, Eon Marine® sideboards	165
ADE8LF2	8' Alum. section, Eon Marine® sideboards for use with leg frames	165
ADE4SL	4' Alum. 45° angle-left section, Eon Marine® sideboards	76
ADE4SR	4' Alum. 45° angle-right section, Eon Marine® sideboards	76
ADEM	Alum. Mitered Corner with Eon Marine® sideboard	30

Dock Sections - Aluminum with Cedar Sideboards Ship Weight (lbs.)

AD2	2' Alum. section, Cedar sideboards	57
AD4	4' Alum. section, Cedar sideboards	92
AD4LF2	4' Alum. section, Cedar sideboards for use with leg frames	92
AD6	6' Alum. section, Cedar sideboards	118
AD6LF2	6' Alum. section, Cedar sideboards for use with leg frames	118
AD8	8' Alum. section, Cedar sideboards	165
AD8LF2	8' Alum. section, Cedar sideboards for use with leg frames	165
AD4SL	4' Alum. 45° angle-left section, Cedar sideboards	76
AD4SR	4' Alum. 45° angle-right section, Cedar sideboards	76
ADM	Alum. Mitered Corner with Cedar sideboard	30

Dock Sections - Cedar Ship Weight (lbs.)

WD4	4' Cedar dock section	106
WD4LF2	4' Cedar dock section for use with leg frames	100
WD6	6' Cedar dock section	140
WD6LF2	6' Cedar dock section for use with leg frames	140
WD8	8' Cedar dock section	195
WD8LF2	8' Cedar dock section for use with leg frames	195
WD4SL	4' Cedar 45° angle-left section	70
WD4SR	4' Cedar 45° angle-right section	70
WDM	Cedar Mitered Corner	28

End Boards Ship Weight (lbs.)

DA0064	2' End Board for Alum section with Eon Marine® sideboards	4
DA0065	4' End Board for Alum section with Eon Marine® sideboards	6
DA0066	6' End Board for Alum section with Eon Marine® sideboards	8
DA0067	8' End Board for Alum section with Eon Marine® sideboards	12
AEB2	2' End Board for Alum section with Cedar sideboards	4
AEB4	4' End Board for Alum section with Cedar sideboards	6
AEB6	6' End Board for Alum section with Cedar sideboards	8
AEB8	8' End Board for Alum section with Cedar sideboards	12
WEB4	4' End Board for Cedar section	6
WEB6	6' End Board for Cedar section	8
WEB8	8' End Board for Cedar section	12

Accessories Ship Weight (lbs.)

DA0017-15	Dock Ladder	39
DA0043	Flag Pole & Holder	36.5
DA0052-15	Gear Tower	51
DA0079-15	Solar Shorelight (includes base)	58.5
DA0080-15	Dock Light (no post, mounts to any 3" or 3.5" square post)	30
DA0075-15	Solar Dock Light	49
DA0054-15	Dock Light	41
DA0055-15	Gear Tower w/Light	22
DA0077-15	Gear Tower w/Solar Light	35
DA0070-15	Eon Marine® Swivel Chair	75
DA0078-15	Eon Marine® Bench - 4'	84
DA0088-15	Eon Marine Bench - 6'	118
DA0088-15	Dock Bumper - side	14
DBL-15	Dock Bumper - left corner	15
DBR-15	Dock Bumper - right corner	15
DL	Single Mast Ladder	25
65833	Two Step Extension for Single Mast Ladder	6
SS1207	4' Dock Accessory Mounting Kit, extra leg frame	26
SS1208	6' Dock Accessory Mounting Kit, extra leg frame	35
SS1210	Dock Accessory Positive Lock Kit	1

Steps Ship Weight (lbs.)

ADA5-6-15	Aqua Step	142
ADSS-5-15	Shore Step, 5-step model	149
ADSS-8-15	Shore Step, 8-step model	201

Leg Frames Ship Weight (lbs.)

LF154	15" Leg Frame for 4' dock section	21
LF156	15" Leg Frame for 6' dock section	31
LF158	15" Leg Frame for 8' dock section	39
LF222	22" Leg Frame for 2' dock section	19
LF224	22" Leg Frame for 4' dock section	23
LF226	22" Leg Frame for 6' dock section	35
LF228	22" Leg Frame for 8' dock section	44
LF362	36" Leg Frame for 2' dock section	24
LF364	36" Leg Frame for 4' dock section	27
LF366	36" Leg Frame for 6' dock section	43
LF368	36" Leg Frame for 8' dock section	49
LF482	48" Leg Frame for 2' dock section	29
LF484	48" Leg Frame for 4' dock section	37
LF486	48" Leg Frame for 6' dock section	50
LF488	48" Leg Frame for 8' dock section	59
LF662	66" Leg Frame for 2' dock section	34
LF664	66" Leg Frame for 4' dock section	49
LF666	66" Leg Frame for 6' dock section	60
LF668	66" Leg Frame for 8' dock section	66
LF842	84" Leg Frame for 2' dock section	42

Leg Frames (Continued) Ship Weight (lbs.)

LF844	84" Leg Frame for 4' dock section	63
LF846	84" Leg Frame for 6' dock section	77
LF848	84" Leg Frame for 8' dock section	91
LF664SL	66" Staggered Leg Frame for 4' dock section - left	49
LF664SR	66" Staggered Leg Frame for 4' dock section - right	49
LF666SL	66" Staggered Leg Frame for 6' dock section - left	60
LF666SR	66" Staggered Leg Frame for 6' dock section - right	60
LF668SL	66" Staggered Leg Frame for 8' dock section - left	66
LF668SR	66" Staggered Leg Frame for 8' dock section - right	66
LF844SL	84" Staggered Leg Frame for 4' dock section - left	63
LF844SR	84" Staggered Leg Frame for 4' dock section - right	63
LF846SL	84" Staggered Leg Frame for 6' dock section - left	77
LF846SR	84" Staggered Leg Frame for 6' dock section - right	77
LF848SL	84" Staggered Leg Frame for 8' dock section - left	91
LF848SR	84" Staggered Leg Frame for 8' dock section - right	91

End Leg Frames Ship Weight (lbs.)

LFE154	15" End Leg Frame for 4' dock section	21
LFE156	15" End Leg Frame for 6' dock section	31
LFE222	22" End Leg Frame for 2' dock section	20
LFE224	22" End Leg Frame for 4' dock section	23
LFE226	22" End Leg Frame for 6' dock section	35
LFE228	22" End Leg Frame for 8' dock section	44
LFE362	36" End Leg Frame for 2' dock section	25
LFE364	36" End Leg Frame for 4' dock section	27
LFE366	36" End Leg Frame for 6' dock section	43
LFE368	36" End Leg Frame for 8' dock section	49
LFE482	48" End Leg Frame for 2' dock section	30
LFE484	48" End Leg Frame for 4' dock section	37
LFE486	48" End Leg Frame for 6' dock section	50
LFE488	48" End Leg Frame for 8' dock section	59
LFE662	66" End Leg Frame for 2' dock section	35
LFE664	66" End Leg Frame for 4' dock section	49
LFE666	66" End Leg Frame for 6' dock section	60
LFE668	66" End Leg Frame for 8' dock section	66
LFE842	84" End Leg Frame for 2' dock section	40
LFE844	84" End Leg Frame for 4' dock section	63
LFE846	84" End Leg Frame for 6' dock section	77
LFE848	84" End Leg Frame for 8' dock section	91
LFE664SL	66" Staggered End Leg Frame for 4' dock section - left	49
LFE664SR	66" Staggered End Leg Frame for 4' dock section - right	49
LFE666SL	66" Staggered End Leg Frame for 6' dock section - left	60
LFE666SR	66" Staggered End Leg Frame for 6' dock section - right	60
LFE668SL	66" Staggered End Leg Frame for 8' dock section - left	66
LFE668SR	66" Staggered End Leg Frame for 8' dock section - right	66
LFE844SL	84" Staggered End Leg Frame for 4' dock section - left	63

End Leg Frames (Continued)		Ship Weight (lbs.)
LFE844SR	84" Staggered End Leg Frame for 4' dock section - right	63
LFE846SL	84" Staggered End Leg Frame for 6' dock section - left	77
LFE846SR	84" Staggered End Leg Frame for 6' dock section - right	77
LFE848SL	84" Staggered End Leg Frame for 8' dock section - left	91
LFE848SR	84" Staggered End Leg Frame for 8' dock section - right	91
Leg Braces		Ship Weight (lbs.)
LBW15	Leg Braces for a 15" LF, Cedar (1 pair)	2.5
LBW22	Leg Braces for a 22" LF, Cedar (1 pair)	3
LBW36	Leg Braces for a 36", 48" & 66" LFs, Cedar (1 pair)	3.5
LBW84	Leg Braces for a 84" LF, Cedar (1 pair)	4.5
SS1231	Leg Frame Cross Brace for legs adjusted out farther	29
SS1233	Leg Frame Cross Brace for legs adjusted out less	23
Leg Extensions		Ship Weight (lbs.)
LX10	10" Leg Extension for 15" dock (1 each)	2
LX17	17" Leg Extension for 22" dock (1 each)	3
LX31	31" Leg Extension for 36" & 48" dock (1 each)	4
LX49	49" Leg Extension for 48" & 66" dock (1 each)	5
LXH64	64" Leg Extension for 66" & 84" dock (1 each)	9
LXH82	82" Leg Extension for 84" dock (1 each)	11
SS1194	Large Base Pads (1 pair)	5
Connecting Hardware		Ship Weight (lbs.)
66384	8" Alum Connector for 6" "L" or "T" with miter corner	1
WDAC	67" Dock side connector	3
WDC	4' Dock side connector	2
WDC-8	8' Dock side connector	4
WDSC	Dock side connector	3.5
DA0068	Universal Dock side connector	3.5
Installation Devices		Ship Weight (lbs.)
DI	Crane Man	68
DIF	Installation Float for Aluminum dock sections	10
DA0003	Cam Trip Lever	7
DA0002-03	Leg Extension Jack	22
DA0016-03	Leg Extension Jack for deepwater	32
DWLG	Water Level Gauge	10



All ShoreStation products come with one of the best warranties in the business

For more information contact your local dealer.



Join us online for the latest products & details...
www.shorestation.com



Models and specifications are subject to change. Visit us online at www.shorestation.com for the latest updates.