

ENCLOSED ALUMINUM TRAILERS



XT Enclosed 7' Wide



TRAILERS ARE SHOWN WITH OPTIONS



Triton's XT 7' Wide's are an excellent example of an economical aluminum trailer line up full of standard features not found on most other premium lines.

Excellent first step with all the Triton values & features

Narrow box width for better visibility

Improved aerodynamics, ease of towing, & better gas mileage



Staggered loading from the front allows the last sled to also use the v-nose part of the deck to help fit larger machines easily.

Triton's XT 8' Wide's are the traditional choice for quality aluminum trailers with the room for side by side loading.

Traditional roomy interior for side by side loading of snowmobiles, ATV's, & much more



A modestly equipped example for the XT Series with minimal accessories to keep the trailer in an economical range.

Shown with white lauan interior on walls/ceiling, and side access door and others.

Check out Triton's Build-A-Trailer feature online and see your chosen accessories on a trailer!

STANDARD FEATURES:

- Fully welded aluminum tubular frame top and bottom
- Ultra clean side walls and V-nose with minimal screws used, eliminates the "battleship" look from 100's of screws
- Sealed housing trailer lights
- Cam Lock door latches with grease zerks for door hinges and latches
- Four cord rubber torsion axles with built-in bearing grease system
- Tall aluminum diamond plate stone guard
- D-ring tiedown positions for securing your loads
- Aluminum diamond plate V-nose and corner trim



- Molded wire harness with 12V automatic breakers inside
- Fully treated marine grade limited lifetime warranty plywood on the deck and ramp door
- One piece aluminum roof skin with caulked screws
- Two interior dome lights with switches on light bases
- Safety chains with spring loaded clips
- Heavy duty aluminum tongue jack with dual wheels
- Spring assisted ramp doors front and rear

Standard 7' wide Interior with optional Side Access Door



Prestige 7' Wide



TRAILERS ARE SHOWN WITH OPTIONS




Triton's Prestige 7' Wide series will provide the ultimate towing experience available on the market today. Full of quality features and innovative designs like no other.

Versatile trailers full of value for work or play

Full line of accessories available to make your trailer fit your custom needs

Narrow box width for improved aerodynamics, ease of towing, and improved gas mileage



Staggered loading from the front allows the last sled to also use the v-nose part of the deck to help fit larger machines easily.

Triton's full featured Prestige 8' Wide trailer line up offers room and versatility in every model. Each Triton model has all the value and innovation you deserve.

The most VALUE per square foot than any other trailer you will find

See your local Triton dealer for accessory information & details.

Combinations of different accessories will help you tailor fit your trailer to your specific hauling needs. Shown, are examples of common and more elaborate possibilities.



Check out Triton's Build-A-Trailer feature online and see your chosen accessories on a trailer!

STANDARD FEATURES:

 Fully welded aluminum tubular frame top and bottom

with a heavy duty curved roof cove

- Ultra clean side walls and V-nose with minimal screws used, eliminates the "battleship" look from 100's of screws
- Stainless Steel Door Latch with built-in covered keyed lock
- Four cord rubber torsion axles with built-in bearing grease system
- Tall aluminum diamond plate stone guard
- A CAPTON PARKAGES
- Two Quickslide™ tiedown channels the full length of the deck
- Sur-Lock tiedowns in the Quickslide™ channel, lockable with optional padlock
- Polished aluminum V-nose and corner trim
- Sealed lights and molded wire harness with 12V automatic breakers inside
- Fully treated marine grade limited lifetime warranty plywood on the deck and ramp doors
- Spring assisted front and rear ramp doors
- Ramp doors have greased hinges with zerk fittings
- One piece aluminum roof skin with caulked screws
- Two interior dome lights with switches on the light bases
- Safety chains with spring loaded clips
- Heavy duty aluminum tongue jack with dual swivel wheels
- -10" Brakes, surge disc or electric drum brakes are available



LowBoy





Triton's Lowboy trailers are the ultimate in hauling everything from snowmobiles and ATV's to work equipment. The more you know what Triton has to offer, the better you will understand why Triton is the one to purchase.



Versatile trailers full of value for work or play

Robust room and low ramp angle for easy loading and tying down



Triton's Lowboy Heavy Duty series has all the Lowboy standards plus more for hauling automobiles, race teams, and other higher hauling weight demanding loads.

The ultimate combination of high strength and low overall weight with a GVWR of 9995#

The Lowboy Series has a large array of accessories available to make the best combination for your specific needs.





See your local Triton dealer for accessory information & details.

Check out Triton's Build-A-Trailer feature online and see your chosen accessories on a trailer!

STANDARD FEATURES:

The Lowboy
and the Lowboy
HD trailer models
all have the same
standards features
as the Prestige trailer
models plus the
following standard
features:



 A dropped rear beavertail deck with long ramp door

- Partially recessed fender wells inside with plastic skids

and polished stainless steel wheel well skirt on the outside



- Four heavy duty
D-rings bolted
to heavy duty
brackets welded
on the frame



- 15" Aluminum rims with radial tires, "C" load range rating
- Ball hitch size of 2 5/16"
- Rear frame rollers on the rear axle mounts
- Ramp flaps on both ramp doors

HD Models only:

- -Heavy duty frame including a deluxe tongue for a total 9995# GVWR
- -15" Aluminum rims with radial tires, "E" load range rating
- -12" Electric drum or surge disc brake systems

The "Barebones" on Triton Enclosed Trailers

Triton has a five year Limited Warranty on fully enclosed trailers from the date of purchase provided the trailer is warranty registered.

See your dealer for details.


Aluminum Extrusion Roof Cove provides added strength and rigidity to the entire enclosed trailer structure and improved aerodynamics

Full length, one piece aluminum roof skin for durability and less leakage over time, no extra seams to work open over time



Custom aluminum extrusions used throughout all enclosed trailers providing added functions, stability, and rigidity over basic designs and c-channel material used by others

Many accessories and standard features are mounted and welded to the frame for endurance and solid performance




Heavy duty chains with spring loaded clips





Triton Surge disc brakes are for superior stopping power, fewer moving parts and less maintenance over electric brakes. A free backing valve aids in bleeding brake fluid pressure off so you don't engage the brakes when going in reverse

NEV-R-ADJUST brakes are electric drum brakes by Dexter that saves time and money by eliminating the manual adjustments needed for optimal drum brake performance. The NEV-R-ADJUST system will greatly improve stopping distance and safety over improperly adjusted brakes.



repack your bearing by pushing new grease past both bearings without taking your hubs off

4-Cord rubber torsion axle suspension provides a smooth ride and cargo protection through an independent self-dampening suspension that takes the shock out of rough roads

Doors & Windows

Triton Door and Window options offer easy step in access and viewing from your enclosed trailer.



Aluminum side access door and optional aluminum step

Side access door with window and optional inside screen door



Concession doors with gas shock arms that lock in place





Available in 48", 60", and 72" door widths

Sliding window with tinted glass and screen, 24"x18" or a larger 30"x 20"









Aluminum fold out step



Aluminum Gas doors with locks



Car access door with pull strap and door catch for Lowboy series only



Motorcycle Options:

Also checkout tiedown kits and extra channels for securing motorcycles



Motorcycle closet comes with interior wall and door with a shelf and coat rack inside the V-nose

Aluminum wheel chock for the Triton® Quickslide™ channel



Flip-up wheel chock, 24" flush mounted



Log on to www.tritontrailers.com and check out Triton's Build-A-Trailer feature and see your accessories on a trailer!

Flooring and Walls:

Triton interior options for the floors and walls can greatly add to the looks and functionality of your enclosed trailer for more even more versatility and easier use.



Finished white lauan walls and ceiling, also available with aluminum skinned walls and ceiling

Walls, ceiling, and floor are available with optional insulation Combo Wall option can be ordered with 1 to 4 rows. Shown far right is 4 rows of Combo Wall



Each row uses both

a center carriage bolt channel and 2 slat wall channels for mounting

Aluminum combo kick panel option includes a Quickslide™ channel and a 3/8" carriage bolt channel





Black Quad™ decking has a textured plastic veneer on the top side and a smooth plastic veneer on the bottom side.

> Also available on ramp door and ramp flap



Quickslide™ channel on top of standard plywood kick panels or Aluminum Diamond kick panel option (shown left) are available.

Vent & Spare Tire Kits:

The Spare Tire Closet is a popular space saver that is built into the deck out of the way, optional hinged closet door is available.

Salem Vents for great air flow inside, sold in pairs







Enclosed Spare Tire carrier, is great for tire sizes up to 15"



Aluminum Diamond plate also available on ramp door and ramp flap

Aluminum

plate floor

and/or kick

diamond


panels





Spare tire rack, fits tire sizes up to 14"







Interior Add-on's:

Additional interior options provide more storage space and most can be mounted to the combo wall option and moved to where you need it.



#07500

Coat Rack Kit with 6 aluminum coat hooks

#11343





2 Helmet (#09256) and 4 Helmet Cabinet (shown)



#14713 Helmet Cabinet Clothes Hanger Kit works on both cabinets

A. #10553

B. #10555

C. #10554

D. #10558

E. #10556

#10557

PAPER TOWEL RACK

3 SHELF COMBO

2-HELMET RACK


SHORT OIL RACK

2 SHELF OIL RACK



#09650

Storage Cabinet on top of the fender on the





Barstool kit with coat hook eye, sold in pairs (1 pair per tiedown bar)






#07835 Flush (right) and the #07834 Recessed (left) mounted D-ring kits




#08840 Quickslide™ Tiedown kit, (right) and the #07837 Rear











#09529 1/4" D-ring tiedown kit for mounting onto the 1/4" carriage bolt channel in the center of the combo wall option

Log on to www.tritontrailers.com and check out Triton's Build-A-Trailer feature and see your accessories on a trailer!

Light and power Options:


Light up the night and get the power you want with Triton's selection of both 110V and 12V options






LED Strip Lighting in cove or the ceiling in 16' lengths unless

trailer is shorter










Back Up Lights with regular or LED lights







Side Back Up Lights, one mounted on each side



Outside Flood Lights with wall

switch |



110 Volt Kit:

Outdoor 110V plug-in, breaker box, two cold weather ballast fluorescent lights, on/off wall switch inside, and one dual outlet



110 Volt Kit plus, 2nd set of cold weather fluorescent lights, another inside outlet, and a pair of 3-way wall switches, replacing the basic on/off switch

Outdoor 110V plug-in



(A) (A)

Optional: Extra wall switches or 3-way switches



Basic Converter Kit:

Outdoor 110V plug-in, 20 halogen lights (lights will replace the std. dome lights, 12 in ceiling and 8 in the coves), con/off switches, large deep cycle battery with in floor storage, 12V converter box and 110V breaker box with shroud (shown left), one 110V outlet -pair (LED lights optional)

Premium Converter Kit:

Same as Basic Converter Kit plus another 110V outlet inside, larger deluxe converter box (shown right) with more 12V & 110V connections, four 3-way switches that replace on/off switches (LED lights optional)





Additional Options:

Triton offers a wide range of accessories if you don't see it hear see your dealer for more details on what we could do for your ultimate trailer.



Ladder Racks with

tiedown holes (order 2, 3, or 4 racks)



Aluminum Anodized Skirting available in 12", 16" or 24" high

Awning option has several sizes (12' to 20') and colors àvailable, including black and white checkered.


> 12V Electric tongue jack with toggle switch, sand plate, and night light






#12151 Rapid Hitch includes adjustable bracket and receiver with a changeable 2" and 2 5/16" ball hitch sizes

Mulit-Colored Skin option includes angled anodized aluminum stripe between colors (see pg.9 for color choices)



Stabilizer Jack Stand with crank handle stored inside



Aluminum Ramp Extension Kit, folds up when hauling



Aluminum Roof Platform Kit with ladder (ladder stores inside)





Useful Trailer Dimensions:

	Door Opening Size Chart: (sizes are by W"x H")									
Trailer Series	Front Door 6' Box	Rear Door 6' Box	Front Door 6' 6" Box	Rear Door 6' 6" Box	Front Door 7' Box	Rear Door 7' Box	Front Door 7' 6" Box	Rear Door 7' 6" Box		
XT 7' Wide	62 x 67	76 x 70	62 x 73	76 x 76						
XT 8' Wide	62 x 64	92 x 70	62 x 70	92 x 76						
Prestige 7' Wide	60 x 64	76 x 66	60 x 70	76 x 72	60 x 76	76 x 78	60 x 82	76 x 84		
Prestige 8' Wide	60 x 64	92 x 66	60 x 70	92 x 72	60 x 76	92 x 78	60 x 82	92 x 84		
Lowboy & LBHD			60 x 69	91 x 74	60 x 75	91 x 80	60 x 81	91 x 86		

Log on to www.tritontrailers.com and check out Triton's Build-A-Trailer feature and see your accessories on a trailer!

SPECIFICATIONS:

MODEL	# OF VEHICLE(s)	INSIDE BED WIDTH			OVERALL LENGTH	GVWR	TRAILER WEIGHT	CARRYING CAPACITY	# OF AXLES	BALL	HITCH HEIGHT *	STD. TIRE	TIRE UPGRADE
XT7WIDE	0	(IN.)	(FIL)	(FT.)	(FT.)	FOOO	4250	2050	0	(IN.)	NOTE: TOP OF BALL	ST005/75 D440	CTOOF/75 DAAC ALLIM DIME
	2	80.5	12	17	20.5	5000	1350	3650	2	2	18	ST205/75 R14C	ST205/75 R14C ALUM RIMS
T-147	2	80.5	14	19	22.5	5000	1450	3550	2	2	18	ST205/75 R14C	ST205/75 R14C ALUM RIMS
T-187	2-3	80.5	18	23	26.5	6000	1650	4350	2	2	18	ST205/75 R14C	ST205/75 R14C ALUM RIMS
(T-227	4	80.5	22	27	30.5	6000	2100	3900	2	2	18	ST205/75 R14C	ST205/75 R14C ALUM RIMS
T-247 XT 8'WIDE	4	80.5	24	29	32.5	6000	2325	3675	2	2	18	ST205/75 R14C	ST205/75 R14C ALUM RIMS
T-128-1	2	98	12	17	20	2995	1190	1805	1	2	25	175/80 R13D	165/75 R13D ALUM RIMS
T-128-2	2	98	12	17	20	5000	1400	3600	2	2	25	175/80 R13D	165/75 R13D ALUM RIMS
T-168	2-3	98	16	21	24	5000	1700	3300	2	2	25	175/80 R13D	165/75 R13D ALUM RIMS
T-208	3-4	98	20	25	28	6000	2150	3850	2	2	25	175/80 R13D	165/75 R13D ALUM RIMS
T-228	4	98	22	27	30	6000	2275	3725	2	2	25	175/80 R13D	165/75 R13D ALUM RIMS
T-248	4	98	24	29	32	6000	2400	3600	2	2	25	175/80 R13D	165/75 R13D ALUM RIMS
TWIDE			350.1					19900				7.55.55.75.55	1350/51NG510H3MIS
PR-127	2	80.5	12	17	20.5	5000	1550	3450	2	2	18	ST205/75 R14C	ST205/75 R14C ALUM RIMS
PR-147	2	80.5	14	19	22.5	5000	1650	3350	2	2	18	ST205/75 R14C	ST205/75 R14C ALUM RIM
PR-167	2	80.5	16	21	24.5	5000	1750	3250	2	2	18	ST205/75 R14C	ST205/75 R14C ALUM RIM
PR-187	2-3	80.5	18	23	26.5	6000	1850	4150	2	2	18	ST205/75 R14C	ST205/75 R14C ALUM RIM
PR-207	2-3	80.5	20	25	28.5	6000	2075	3925	2	2	18	ST205/75 R14C	ST205/75 R14C ALUM RIMS
PR-227	4	80.5	22	27	30.5	6000	2300	3700	2	2	18	ST205/75 R14C	ST205/75 R14C ALUM RIMS
PR-247	4	80.5	24	29	32.5	6000	2525	3475	2	2	18	ST205/75 R14C	ST205/75 R14C ALUM RIMS
8'WIDE						701 20 20 20	2000000				122		
PR-128-1	2	98	12	17	20	2995	1390	1605	1	2	25	175/80 R13D	165/75 R13D ALUM RIMS
PR-128-2	20000000	98	12	17	20	5000	1600	3400	2	2	25	175/80 R13D	165/75 R13D ALUM RIMS
PR-168	2-3	98	16	21	24	5000	1900	3100	2	2	25	175/80 R13D	165/75 R13D ALUM RIMS
PR-208	3-4	98	20	25	28	6000	2350	3650	2	2	25	175/80 R13D	165/75 R13D ALUM RIMS
PR-228	4	98	22	27	30	6000	2475	3525	2	2	25	175/80 R13D	165/75 R13D ALUM RIMS
PR-248	4	98	24	29	32	6000	2600	3400	2	2	25	175/80 R13D	165/75 R13D ALUM RIMS
PR-LB 16	2-3	98	16	21	24.5	7000	2280	4720	2	2 5/16	16.5	ST205/75 R15C ALUM RIMS	
PR-1B 20		98	20	25	28.5	7000	2530	4470	2	2 5/16	16.5	ST205/	75 R15C ALUM RIMS
PR-LB 22		98	22	27	30.5	7000	2665	4335	2	2 5/16	16.5	ST205/75 R15C ALUM RIMS	
PR-LB 24	4	98	24	29	32.5	7000	2800	4200	2	2 5/16	16.5	ST205/75 R15C ALUM RIMS	
PR-HD 20		98	20	25	28.5	9995	2800	7195	2	2 5/16	20.5	ST225/75R 15E ALUM RIMS	
PR-HD 22		98	22	27	30.5	9995	2900	7095	2	2 5/16	20.5	ST225/75R 15E ALUM RIMS	
PR-HD 24		98	24	29	32.5	9995	3000	6995	2	2 5/16	Programme (No. 1.2)	ST225/75R 15E ALUM RIMS	
												ST225/75R 15E ALUM RIMS	
PR-HD 28	4	98	28	33	36.5	9995	3300	6695	2	2 5/16	20.5	31225	TOR TOE ALUM KINS

*Hitch Height of ball will increase 4" if equipped with Surge Disc brakes. Measure your particular vehicles for needed model size. Recommended tongue weight for all enclosed trailers is 7-10% of GVWR. Please note: It is the responsibility of the purchaser to adhere to the brake laws regarding trailers. For full information on the laws in your state, contact the appropriate State Motor Vehicle Department. Brake options will change the overall length of trailer. Brake options are surge disc brakes or electric drum brakes. Contact your local dealer for order lead times. All trailers ordered without brakes will have a GVWR of 2995#. Specifications, & accessories can change without notice. US PATENT NUMBERS: 6,247,719 B1 6,186,580 B1 7,147,417 6,439,814 5,823,559 7,077,616 B2

TAKE THE NEXT ROAD TO WWW.TRITONTRAILERS.COM



אַבּבּבּבּע פּבּצוּאַטוּאַינּיבּ

Don't just take our word Triton Aluminum Trailers meets NATM's strict guidelines for all trailer manufacturers. Take NATM's word too!



857 WEST STATE ST., HARTFORD, WI 53027 262-670-6514 FAX 262-670-6545

ALUMINUM TRAILERS

800-232-3780 www.tritontrailers.com