



***ATV's, Utility Loads, Vehicles,
Motorcycles, & much more***

SIDE & REAR LOADING EASE ALONG WITH A FULL LINEUP OF ACCESSORIES TO HAUL ATV'S AND SO MUCH MORE!



ATV88

2 place side loading ATV trailer, shown with optional front rail kit, spare tire carrier, spare tire, and tongue jack

ATV SERIES



ATV88

78'x 104' 2 place side loading ATV trailer



ATV128

79'x 152' 3 place side loading, single axle ATV trailer, shown with optional front rail kit, diamond plate stone guard, spare tire bracket, and spare tire



ATV128-2

79'x 152' 3 place side loading, tandem axle ATV trailer, shown with optional front rail kit, diamond plate stone guard, spare tire bracket, and spare tire



ATV168

79'x 200' 4 place side loading, tandem axle ATV trailer shown with optional electric brakes

Standard Features:

All aluminum frame using custom integrated extrusions for light weight durability and rigidity

Side rails with 1/4" carriage bolt channels run the full deck length; allowing #08660 tie-downs to be fully adjustable to secure all your loads (2 per machine supplied and extra tie-downs available, 2 per kit)

79" wide deck is narrow enough to see around; yet, wide enough for the wheel bases of large ATV's

Welded aluminum ramp hooks on either side and the back

Ramp stores under the rear of trailer with a ramp clamp system and padlock to reduce theft

Four cord rubber torsion axles for a smooth cushioned ride

Sure Lube™ built-in grease system for ease on maintenance and positive packing of both bearings and the hub

Fully treated marine grade plywood (1/2") with a limited lifetime warranty for extended years of outdoor use

Molded wire harness for long life and durability; no splices to fail

Sealed lights mounted in rubber grommets giving years of trouble free use

Safety chains with spring loaded clips

Quality swivel wheel tongue jack is standard on all 3 & 4 place trailers

WWW.TRITONTRAILERS.COM

TRAILERS ARE SHOWN W/OPTIONS, SEE YOUR LOCAL TRITON DEALER FOR DETAILS

ATV ACCESSORIES:



Side Saddle Kit #12910:

This kit permits the ramp to be hooked onto the rear pockets sideways to allow wider machines like UTV's to be easily loaded

Front Rail Kit #08544:

A convenient heavy duty aluminum rail kit that mounts to the front deck and provides you a safety catch when rear loading



Aluminum Diamond Plate Stone Guard #11055:


This stone guard mounts easily to the front rail kit providing protection from debris on the road



ATV Tiedowns #08660:

Rock solid tiedowns that mount into the adjustable 1/4" channel in the side rails of the ATV Series trailers.

Two per machine come standard on the ATV series and extra tiedowns are available, 2 per kit



Stake Pocket Kit #08535:

This kit comes with 8 pockets and the mounting hardware needed, then you can add any size and style of sides you need



SEE THE CHARTS AND ACCESSORIES ON PAGE 14 FOR MORE DETAILS ON WHAT IS AVAILABLE

SL SERIES



SL12 79"x 152"
3 place side loading, single axle
ATV trailer, shown with optional
spare tire & spare tire bracket

SL12-2 79"x 152"
3 place side loading,
tandem axle ATV trailer

SL16 79"x 200"
4 place side loading, tandem axle
ATV trailer, shown with optional
surge disc brakes, spare tire, and
spare tire carrier

ACCESSORY:

Rear Ramp

Kit #09559 This kit uses the standard supplied ramp with extra hardware on the rear of the trailer for rear loading.

Standard Features:

All aluminum frame using custom integrated extrusions for light weight durability and rigidity

Aluminum extruded tiedowns
(2 tiedowns std. for each machine)

79" wide deck is narrow enough to see around; yet, wide enough for the wheel bases of large ATV's

Hinged and welded aluminum ramps on both sides for side loading

Four cord rubber torsion axles for a smooth cushioned ride

Sure Lube™ built-in grease system for ease of maintenance and positive packing of both bearings and the hub

Fully treated marine grade plywood (1/2") with a limited lifetime warranty for extended years of outdoor use

Molded wire harness and sealed lights in rubber grommets giving years of trouble free use

Quality swivel wheel tongue jack is standard on all 3 & 4 place trailers

DURABLE QUALITY COMPONENTS AND INNOVATIVE DESIGNS FOR UNMATCHED VALUE FOUND ANYWHERE



UT16

81"x192" tandem axle, 6000# (w/brakes) utility trailer, shown with optional surge disc brakes, aluminum ramp, spare tire carrier, and spare tire



UT8

shown with optional endgate kit, spare tire bracket, tongue jack and spare tire

UT SERIES



UT8

74"x96" tilt bed utility trailer, shown with optional spare tire, spare tire bracket, jack and endgate kit



UT10

74"x120" tilt bed utility trailer, shown with optional spare tire, spare tire carrier, and aluminum ramp



UT12

81"x144" single axle utility trailer, shown with optional spare tire, spare tire bracket, and aluminum ramp



UT12-2

81"x144" tandem axle utility trailer, shown with optional spare tire carrier, aluminum spare tire, alum. tire upgrade, winch stand, & aluminum ramp



UT16-7

81"x192" tandem axle 7000# utility trailer, shown with optional aluminum ramp, spare tire carrier, and spare tire

Standard Features:

All aluminum frame using custom integrated extrusions for light weight durability and rigidity

Frames include two combo deck aluminum extrusions which run a full deck length with 3/8" carriage bolt and Quikslide™ channel (shown right) for tiedown USES (Excluding the UT16-7)



Aluminum diamond plate fenders for style and durability

Four cord rubber torsion axles for a smooth cushioned ride

Sure Lube™ built-in grease system for ease of maintenance and positive packing of both bearings and the hub

Molded wire harness for long life and durability; no splices to fail

Sealed lights mounted in rubber grommets giving years of trouble free use

Safety chains with spring loaded clips

Quality swivel wheel tongue jack is standard on all 12' or longer trailers

Fully treated marine grade plywood (5/8") with a limited lifetime warranty for extended years of outdoor use

UT16-7 ONLY: 1" Plywood deck and four heavy duty tiedowns in place of the 5/8" plywood and deck channels

WWW.TRITONTRAILERS.COM

TRAILERS ARE SHOWN W/OPTIONS, SEE YOUR LOCAL TRITON DEALER FOR DETAILS

UT ACCESSORIES:



UT Side Kit:

This all aluminum kit mounts easily and has three sides to provide you with additional containment of all your loads (optional endgate also shown)



Endgate Kit:

The aluminum endgate kit closes off the back of the side kit for full containment of your loads



Short Endgate Kit:

UT8 & UT10 #07072

UT12 thru UT16-7 #07073:

The short endgate kit will make that transition from ground to deck easier on a UT tilt trailer and works on all UT trailers to provide a small back gate to secure loads



Ramp Kit:

Sturdy and light weight extruded aluminum ramps for loading what your UT Series trailer can carry

SEE THE CHARTS AND ACCESSORIES ON PAGE 14 FOR MORE DETAILS ON WHAT IS AVAILABLE

Quickslide Channel Tiedowns:

#07837



Both Quickslide™ tiedown kits shown, are sold in pairs and are fully adjustable the length of the track. The Eyebolt style (shown left) loosens by the wingnut to easily move and remove. The Quickslide™ tiedown (shown above) is a nice out of the way flush mounted tiedown



#08540

3/8" Channel Tiedowns:



#11242

Both 3/8" carriage bolt tiedowns provide a very strong and durable position for all your utility loads. The 3/8" Tiedown Kit (shown above) and the heavy duty 3/8" D-ring Kit (shown below) are both sold as 2 pairs

Heavy Duty Tiedown:

#11111



HD Tiedown Kit:

The fixed position Heavy Duty Tiedown Kit (sold in pairs) can be used on all UT series trailers for the heaviest of loads. Six come installed standard with the UT16-7 model

#12126



A LIGHT WEIGHT ALTERNATIVE MAKES ALL YOUR GENERAL UTILITY NEEDS AROUND THE HOUSE AND IN THE FIELD EASIER



GU10
64"x120" tilt bed
utility trailer



GU8
53"x96" shown in
a tilted position

GU SERIES



GU8
53"x96" tilt bed
utility trailer, shown with optional
12" tires and bi-fold ramp



GU10
64"x120" tilt bed
utility trailer

GU ACCESSORIES:



Tail Ramp Kit: This kit is the traditional straight ramp that also fits easily to other kits like the box side kit, as shown left



Box Side Kit: This kit offers complete containment and excellent durability with the stylish look of aluminum diamond plate



Bi-fold Ramp Kit: An excellent fuel efficient all aluminum bi-fold ramp that can easily fit with other kits



Stackable Ramp Kit: This kit requires the Box Side Kit to be installed. In the rear of the box side kit, these ramps double as ramps and as a rear endgate



Aluminum Rail Kit: A nice safety catch for loading, and to hooking on your bungee cords or ropes



Aluminum Side Kit: A stylish side kit full of versatility for all of your loads

Endgate Kit: Finish off your side kit to hold everything inside



Standard Features:

All aluminum frame using custom integrated extrusions for light weight durability and rigidity

Four D-ring tiedowns are mounted standard in the corners of the deck for securing your loads

Plastic molded fenders with frame supported side steps for style and durability

Tilt deck with front tensioner system to take out all the slack between the deck and tongue to lessen the rattling and tilt pin hole damage

E-Z Lube™ built-in grease system for ease of maintenance and positive packing of both bearings and the hub

Fully treated marine grade plywood (1/2") with a limited lifetime warranty for extended years of outdoor use

Molded wire harness for long life and durability; no splices to fail

Sealed lights mounted in rubber grommets for years of trouble free use

Safety chains with spring loaded clips

See the charts on pg14 for more options and part numbers

WWW.TRITONTRAILERS.COM

TRAILERS ARE SHOWN W/OPTIONS, SEE YOUR LOCAL TRITON DEALER FOR DETAILS

DIVERSITY AND QUALITY ALLOWS YOU TO MAKE YOUR CHOICES BASED ON HIGHEST VALUE TO YOUR NEEDS

XTV SERIES



XTV
48"X96" tilt bed utility trailer, shown with optional front rail kit, and 12" tire upgrade



XTV accessories: This XTV is equipped with the optional #07122 Ramp Kit, #07102 Front Rail Kit, spare tire, #08519 Spare Tire Carrier, and #01145 tongue jack

XTV accessories: This XTV is equipped with the optional #11390 Solid Side Kit and #11711 Solid Endgate Kit (slides in and closes off the back of the box)



Standard Features:

All aluminum frame using custom integrated extrusions for light weight durability and rigidity

Plastic molded fenders

Heavy-duty spring axles with Sure Lube™ built-in grease system for ease on maintenance and positive packing of both bearings and the hub

Tilt deck with a tilt pin and lanyard

Fully treated marine grade plywood (1/2") with a limited lifetime warranty for extended years of outdoor use

Sealed and protected lights and wiring for years of worry free use

Safety chains with spring loaded clips

Stake Pocket Kit #07110:

This kit comes with 8 pockets allowing you to custom make a whole array of different sides for your trailer (comes with all the mounting hardware)



NO. OF TRAILER AXLES	WEIGHT	CARRYING GVWR	CAPACITY	OVERALL WIDTH	OVERALL LENGTH	OVERALL HEIGHT	HITCH	STD. TIRES	OPT. TIRES	PLYWOOD BED THICKNESS	LOAD STYLE
1	200	1400	1200	63	144	16	4.80XC	4.80X12C	YES	1/2"	TIPT RAMP OPT

ELITE14-84 SERIES

See the tiedown chart on pg14 for tiedown options



Elite14-84, 84"x 168" plus v-nose, ramp standard (drive-on/off 3 ATVs from the sides or rear load 2 snowmobiles and unload off the V-nose)



Side Kit #11130: More containment for your loose loads

Rail Kit #11140: Get more out of the trailer and have something to secure your straps and bungee cords to

Bi-fold Ramp Shield Kit #12240:

Less wind drag with this shorter front ramp option, works with sleds & ATVs



Standard Features:

All aluminum frame using custom integrated extrusions for light weight durability and rigidity

Aluminum ramp stores in rear below the deck and is secured with the ramp clamp system; comes w/padlock

Four cord rubber torsion axles for a smooth cushioned ride

Sure Lube™ built-in grease system for ease of maintenance and positive packing of both bearings and the hub

Fully treated marine grade plywood (5/8") with a limited lifetime warranty for extended years of outdoor use

Quickslide™ tiedown channels for all of your tiedown needs, 2 channels the full length of the deck

Sealed and protected lights and wiring for years of worry free use

Swivel wheel tongue jack

Safety chains with spring loaded clips

WITHOUT BRAKES				WITH BRAKES										
NO OF TRAILER AXLES	WEIGHT	GVWR	CARRYING CAPACITY	GVWR	CARRYING CAPACITY	OVERALL WIDTH	OVERALL LENGTH*	HITCH HEIGHT	STD TIRES	OPT TIRES	TILT BED	PLYWOOD THICKNESS	BRAKES	LOAD STYLE
2	870	2966	2125	4420	3530	84.5	254	21	20.5X10C	ST175/80D13C	NO	5/8"	SURGE/ELEC	SIDE A/R
* BRAKE OPTION WILL CHANGE THE OVERALL LENGTH OF TRAILER														

*BRAKE OPTIONS WILL CHANGE THE OVERALL LENGTH OF TRAILER

WWW.TRITONTRAILERS.COM

TRAILERS ARE SHOWN W/OPTIONS, SEE YOUR LOCAL TRITON DEALER FOR DETAILS

EXTREMELY VERSATILE & ADJUSTABLE TRAILERS FOR HAULING A WIDE VARIETY OF LOADS ALL YEAR LONG



AUT1064
64"x120" single axle
utility trailer

AUT SERIES



AUT853

53"x96" utility trailer, shown with optional wheel
chock, tall front rail kit, tall stone guard and
aluminum rim upgrade

AUT853B (comes with
bi-fold ramp)



AUT864

64"x96" utility trailer, shown with optional solid
side kit, tongue jack, and aluminum rim upgrade

AUT864B (comes with
bi-fold ramp)



AUT1064B

64"x120" utility trailer, shown with optional
tongue jack, side kit, 2 add-a-plank kits,
and aluminum rim upgrade

AUT1064 (comes with
tall ramp)



AUT1464

64"x168" utility trailer, shown with optional
tall front rail kit, tall rail kit, and elec. brakes
(std. w/bi-fold ramp only)



AUT1464-2

64"x168" tandem axle utility trailer,
shown with optional side kit

(std. w/bi-fold ramp only)

Standard Features:

All aluminum frame using custom
integrated extrusions for light
weight durability and rigidity

Strong, all welded aluminum ramp is
standard with every AUT trailer, the
models with a "B" have a bi-fold rear
aluminum ramp as standard

AUT853 and AUT64's trailers have
several full deck length 1/4" carriage
channels
extruded in
the deck and
frame for all
your tie-downs
(as shown)
and for
mounting
accessories
(excluding AUT1464's, see next page)

#C0929



Four adjustable D-ring tie-downs
come standard, as shown above
(additional kits #09529, 2 pairs per kit)

Smaller AUT trailers have a dropped
tongue allowing for a low deck
height and lower ramp angle

Larger AUT trailers have an A-frame
tongue design for strength and for
lower loading angles

Four cord rubber torsion axles for
a smooth cushioned ride

E-Z Lube™ built in grease system
for ease of maintenance and positive
packing of both bearings and the hub

Molded wire harness for long life
and durability; no splices to fail

Sealed lights mounted in rubber
grommets giving years of trouble
free use

WWW.TRITONTRAILERS.COM

TRAILERS ARE SHOWN W/OPTIONS, SEE
YOUR LOCAL TRITON DEALER FOR DETAILS

DURABLE QUALITY COMPONENTS AND INNOVATIVE DESIGNS FOR UNMATCHED VALUE FOR YOUR DOLLAR



AUT1464-2
64"x168" tandem axle utility trailer,
shown with optional side kit

AUT SERIES CONT.

AUT1082B
82"x120" utility trailer,
shown with optional
side kit



AUT1082
(comes with tail ramp)

AUT1282
82"x144" single axle utility trailer,
shown with optional tail front rail kit,
tail stone guard, tail side rail kit, and
aluminum rim upgrade



AUT1282B
(comes with bi-fold ramp)

AUT1282-2B
82"x144" tandem axle utility trailer,
shown with optional tail rail kit, tail
stone guard kit, and tail front rail kit



AUT1282-2
(comes with tail ramp)

ALSO AVAILABLE- **AUT1482**
82"x168" single axle, utility trailer,
w/HD bi-fold ramp

AUT1482-2
82"x168" tandem axle
utility trailer, shown with
optional tail front rail kit



(std. w/HD bi-fold
ramp only)

ALSO AVAILABLE- **AUT1682**
82"x192" tandem axle, utility trailer,
w/HD bi-fold ramp

Continued AUT Series Standard Features:

Tough molded plastic fenders with
frame reinforced side steps

Safety chains with spring loaded clips

Quality swivel wheel tongue jack is
standard on all AUT12' or longer
trailers (also on AUT1082's)

AUT82's trailers include both 3/8"
carriage bolt channels and
Quickslide™ channels for mounting
an array of tieowns and accessories
available for each model (see pg. 10)

Fully adjustable 3/8" tieowns are
installed standard on the deck, and
side rails, with
two welded on
the front of all
AUT trailers



3/8" Tieown quantities:

AUT1082's and
AUT1282's
have 4 on the
deck and 4 on
the side rails



AUT1464's,
AUT1482's, and AUT1682 have 6
on the deck and 8 tieowns on the
side rails (more tieowns can be
ordered #11242, 2 pairs)

AUT1482, AUT1482-2 & AUT1682
ONLY: Heavy duty bi-fold ramp is
standard, more muscle for those
heavier loads

ACCESSORIES ON NEXT PAGE!

WWW.TRITONTRAILERS.COM

TRAILERS ARE SHOWN W/OPTIONS, SEE
YOUR LOCAL TRITON DEALER FOR DETAILS

AUT ACCESSORIES:



Side Rail Kits & Front Rail Kits: These aluminum kits offer more security to your trailer by helping you when loading and to contain your loads on the deck. Tall (shown) and short kits are available (not available on all models, tall and short kits do not mix, see page 14)



Aluminum Diamond Plate Stone Guard Kit: This is a very stylish and useful kit that attaches to the front rail kit for extra protection from road debris



Side Kit: (shown above)

A useful option for keeping everything in while you are towing and allows you to carry more items

Endgate for Side Kits:

Close off the rear of the aluminum side kit, slides into the side kit and rests on the deck (shown below on GU trailer)



Solid Side Kit:

Keep everything in with our solid side kit, a good way of keeping loose loads in the trailer for safety on the road and peace of mind while hauling



SEE THE CHARTS AND ACCESSORIES ON PAGE 14 FOR DETAILS ON WHAT IS AVAILABLE

Add-A-Plank Kit:

The gaps on the standard side kit (shown right) can be lessened or completely closed (shown right, bottom) using the add-a-plank kits. One kit will make smaller gaps and two kits will make the sides solid on the trailer for the most complete containment of your loads



Wheel Chock Kits: Great for motorcycles, these wheel chocks are a common addition to AUT trailers, all of these kits use the different channels found on AUT models (see pg.11 for cycle examples)


Quickslide Channel Tiedowns:

#07837



Both Quickslide™ tiedown kits shown are sold in pairs and are fully adjustable the length of the track. The Eyebolt style (shown left) loosens by the wingnut to easily move or remove. The Quickslide™ tiedown (shown above) is a nice out of the way flush mounted tiedown

#08840



#11242

3/8" Tiedown Kits:

This Triton original kit can be used on the deck and side rails for many uses from tiedowns to stake pockets (2 pairs per kit)


MCTD IS AN ULTIMATE CHOICE FOR MOTORCYCLE HAULING ALONG WITH AUT TRAILERS AND OPTIONAL KITS

MCTD



79'X105' MCTD
motorcycle trailer

EASILY HAUL
ONE TO THREE
MOTORCYCLES



Optional 1/4" tiedown
kits, Spare tire, and
spare tire carrier
available, as shown

NO. OF TRAILER AXLES	WEIGHT, GVWR	CARRYING CAPACITY	OVERALL LENGTH*	WIDTH	STANDARD ALUM. TUBES	OPT. TUBES	BRAKE OPTS.	DECK TYPE	LOAD STYLE	RAMP STD.
1	550	2500	1950	174	102	8/125/15 R14C	N/A	SURGE/ ELEC.	ALUM. REAR LOAD	YES

* BRAKE OPTIONS WILL CHANGE THE OVERALL LENGTH OF TRAILER.

MCTD Standard Features:

All aluminum extruded frame and deck for superior strength, stability, and adjustability

Built-in aluminum diamond plate storage box provides lots of storage and doubles as an effective stone guard from road debris

Two sets of wheel chocks come standard for your large cycles, a third optional set is available for one in the center or for three smaller cycles

Rear stored, long aluminum ramp, and low deck height makes for a low ramp angle for easy loading

Quality lighting system including molded wire harness with no splices, rubber grommet mounted lights for easy service, long bulb life and impact resistance

Stylish aluminum rims and radial tires are standard (ST205/75 R14C)

Smooth riding four cord rubber torsion axles with Sure Lube™ built in grease system for ease of maintenance and positive packing of both bearings and the hub

Swivel wheel tongue jack

Tough black plastic molded fenders with front & back frame supported steps

OTHER MOTORCYCLE TRAILER OPTIONS

Triton offers a number of open and enclosed trailers with motorcycle accessories for the motorcycle enthusiast

AUT SERIES



AUT Series and other utility trailers can be a good multi-use trailer for around the house and for hauling your motorcycles. Whether you have one or four bikes we have options for you. See your local dealer to match your needs perfectly!

FULLY ENCLOSED TRAILERS



Accessories like wheel chocks, white interiors, motorcycle closet, quad flooring and more, are all popular with motorcycle owners that want an enclosed trailer.

TC11 TRAILER



Check out the Triton **Build-A-Trailer** feature online now. You will see how an enclosed trailer will look with the accessories you pick and create a shopping list for a local dealer to quote!



WWW.TRITONTRAILERS.COM

TRAILERS ARE SHOWN W/OPTIONS, SEE
YOUR LOCAL TRITON DEALER FOR DETAILS

THE CHAMPION OF OPEN CAR/UTILITY HAULING WITH STANDARD FEATURES JUST NOT FOUND ON OTHERS



7500# GVWR

CH22 102"x264"
car hauler/utility trailer shown with optional storage box, spare tire, spare tire carrier, electric tongue jack kit, and aluminum rims

CAR HAULER SERIES



CH18 102"x216"
car hauler/utility trailer



CH20 102"x240" car hauler/utility trailer, shown with optional spare tire, spare tire carrier, and aluminum rims



CH22 102"x264" car hauler/utility trailer shown with optional storage box, spare tire, spare tire carrier, electric tongue jack kit, and aluminum rims

LOW 13 DEGREE RAMP ANGLE



**EASY REAR & SIDE LOADING
FOR HAULING ATV'S, UTV'S
& MUCH MORE**



Standard Features:

All aluminum frame using custom integrated extrusions for light weight durability and rigidity

Two, heavy duty aluminum ramps for rear and side loading; comes with front storage rack which is lockable with an optional padlock

Frame includes an aluminum extruded deck which includes two full deck length 3/8" carriage channels and three Quickslide™ channels for tiedown and accessory uses

Four heavy duty D-ring tiedowns are mounted in the adjustable 3/8" carriage bolt channels in the deck (5,000# rating per D-ring)

Aluminum diamond plate fenders, the drivers side is removable (shown right)



Dual rear stabilizer jack stands to give you rock solid loading, both store out of the way in the frame



Four cord rubber torsion axles for a smooth cushioned ride

Electric drum brakes are standard on both axles

Sure Lube™ built in grease system for ease of maintenance and positive packing of both bearings and the hub

Molded wire harness for long life and sealed lights in rubber grommets giving years of trouble free use

Safety chains with spring loaded clips

Quality 2,000# tongue jack with skid plate (electric jack optional)

CAR HAULER HD SERIES



CHHD20 102"x240"
car hauler/utility trailer, shown
with optional Bulkhead Rack Kit

**MORE MUSCLE FOR
LARGER VEHICLES
& EQUIPMENT**

Standard Features:

- Heavy Duty GVWR of 9,995#
- Aluminum Extruded deck with built-in tiedown channels
- Heavy Duty bi-fold aluminum loading ramp
- Tongue Jack with plate and 5000# capacity
- Dual 12" Electric Brakes

CAR HAULER ACCESSORIES:



Aluminum Diamond Plate Storage Box

#13450: This aluminum storage box fits neatly into the A-frame of the tongue, it is also extra deep for storing all your straps and

for mounting a 12V battery inside for other accessories available. The storage box also features a latch with a keyed lock to secure the contents.

Electric Tongue Jack Kit #13630: (shown above) Easily lift and lower your tongue with this electric tongue jack. Comes with a foot plate and in case of power loss, this kit includes a manual crank handle. A 12 volt battery, battery tray, and storage box, sold separately

Electric Winch Kit #13570:

Pull up those "dead weight" loads easily with a 3700# rated electric winch that can be mounted into any of the Quickslide channels, adjustable and versatile for all your loads (winch has 43' of wire cable) Electric winch kit comes with a plug-in 12' remote control with toggle switch for safe operation. Optional wireless control. #13733



SEE THE CHARTS ON PAGE 14 FOR DETAILS ON ALL OTHER ACCESSORIES AVAILABLE



Wheel Chock Kit #11116:

To help secure your motorcycle front tire, the wheel chock kit easily mounts to the adjustable Quickslide™ channel in the deck, two kits are installed in the picture. (shown left)

Tiedowns for Car Hauler Series



3/8" Tiedown Kit (above left, 2 pair) & the Quickslide™ Tiedown Kit (above right, 1 pair)

Use their own respective channels to provide adjustable tiedowns options and versatility to every car hauler trailer model



Padlock #03164

is available to lock your ramps to the trailer. Two padlocks are needed to lock both ramps in place



LED Lights

are available for the entire trailer for brighter flash and less draw on your tow vehicle electrical system

Wheel Stop Kit #13666:

Consistent position every time you load & comes with tiedown holes (2 stops per kit)



GENERAL ACCESSORIES:



Winch Mount Kit #04315

Makes bracing on all those "dead weight" loads easier, stand, winch, and mounting hardware standard

UT Spare Tire Kit #11830

Side rail mounted kit for an out of the way option



Spare Tire Carrier #08519

Nice space saver on the tongue when used with a tongue jack



Spare Tire Bracket #02464

A simple and lockable spare tire holder* (padlock opt.)

Low (#06265) & Hi (#06267) Profile Bunk Kits Make room to haul your PWC's too with this kit

NOTE: TIEDOWN PICTURES ARE IN THE SAME ORDER AS THE CHART

TIEDOWN OPTION CHART:



TRAILER MODELS OR SERIES	#08520 1/4" D-rings (2 pair)	#11242 3/8" Tiedowns (2 pair)	#12126 3/8" HD D-rings (2 pair)	#08440 (Push) Quickslide™ Tiedowns (pr)	#07837 Quickslide™ Eyebolt Tiedowns (pr)	#07635 Push Mounted D-ring Kits (pr)	#07834 Recessed Mounted D-rings (pr)	#06008 ATV Tiedowns (pr)	#11111 Heavy Duty Tiedowns (pr)
ATV Series						✓	✓	2 to 4 ✓	
SL Series						✓	✓		
UTB-UT16		✓	✓	✓	✓	✓	✓		3 ✓
UT16-7						✓	✓		
GU Series	2 ✓					✓	✓		
XTV Series	✓					✓	✓		
Elite14-84				✓	✓	✓	✓		
AUT650	2 ✓							✓	
AUT's - 64" wide	2 to 3 ✓							✓	
AUT's - 82" wide		2 to 3 ✓	✓	✓	✓			✓	
AUT1484 & 1484-2		✓	✓	✓	✓				
Car Hauler Series			2 ✓	✓	✓				

✓ = an optional accessory ✓ = number of pairs supplied standard with a trailer and additional kits are available

ACCESSORY PART NUMBER CHART:

MODEL	ACCS. PAGE	FRONT RAIL KIT *		STONE GUARD KIT *		RAIL KIT	SIDE KIT	ENDGATE KIT	SOLID SIDE KIT	SOLID ENDGATE KIT	ADD-A-PLANK KIT	WHEEL CHOCK
		SHORT	TALL	SHORT	TALL							
AUT853	10	11112	12403	10030	12413	Short, 09341	12849		12260	12380	12862	11104
AUT864	10	11113	12404	10040	12414	Short, 09341	12850		12270	12390	12863	11104
AUT1064	10	11113	12404	10040	12414	Short, 09344	12851		12290	12390	12864	11104
AUT1082	10		12402		12412	Tall, 12847	12852		12300	12400	12714	11116
AUT1282	10		12402		12412	Tall, 12834	12842		12310	12400	12717	11116
AUT1282-2	10		12402		12412	Tall, 12834	12842		12310	12400	12717	11116
AUT1482	10		12402		12412	Tall, 12750	13515			12400	13518	11116
AUT1482-2	10		12402		12412	Tall, 12750	13515			12400	13518	11116
AUT1682	10		12402		12412	Tall, 13523	13517			12400	13520	11116
AUT1464	10		12404		12414	Tall, 12750	12685			12390	12613	11116
AUT1464-2	10		12404		12414	Tall, 12750	12685			12390	12613	11116
		TALL RAMP KIT	BI-FOLD RAMP KIT	STACKABLE RAMP KIT *					BOX SIDE KIT	UT OPT. RAMP KITS		See Pg. 10 for #03666
GU8	6	13720	13740	13650		06711	11928	11938	13640			03666
GU10	6	13730	13750	13670		06712	11930	11940	13660			03666
UT8	5						11610	11750		07060		03666
UT10	5						11620	11750		07060		03666
UT12	5	8" PLUS EXTRUDED FRONT STOP ABOVE DECK					11630	11760		06906		03666
UT12-2	5						11600	11760		06906		03666
UT16	5						11630	11760		06906		03666
UT16-7	5						11630	11760		07091		03666

Note: * Short and Tall kits can not be mixed. Stone Guard Kit requires the Front Rail Kit. Endgate Kits require having the Side Kits installed. The Stackable Ramp Kit requires the Box Side Kit to be installed.

APT SERIES



**ALL PURPOSE (APT) REAR RAMP
LOADING, NON-TILT TRAILERS
FOR HAULING UTILITY LOADS**



Shown w/optional
spare tire, spare
tire carrier

APT610, 6'X10'
single axle
utility trailer



Shown w/optional spare
tire, spare tire carrier,
aluminum rims, and
aluminum dia. plate
storage box

APT612, 6'X12'
single axle
utility trailer




Shown w/optional spare
tire, spare tire carrier,
aluminum rims, and
aluminum dia. plate
storage box

APT614, 6'X14'
single axle
utility trailer

TRAILERS ARE SHOWN W/OPTIONS

APT ACCESSORIES:

APT's Endgate Kit #15293 slips right into the existing aluminum side kit on the trailers. This provides a sturdy wood wall to contain your loads with a 1" thick fully treated marine grade plywood board for years of use.



Altnoel 5 cu. ft.
of room

Aluminum Diamond Plate Storage Box #05031-1 (LEFT) and the #15331-1 (RIGHT) comes with a keyed lid latch and mounting hardware. Store your straps and other gear separately.



**Extra APT
Tiedown Kits
#15292** to secure
even more items
and materials.
(sold in pairs)



21"W x 10"H x 9"D



**Spare Tire Carrier
Kit #15430** comes
with the mounting
hardware, and
lockable pin with
optional padlock

SPECIFICATIONS:

MODELS	TRAILER WEIGHT	GVWR WITHOUT BRAKES	CARRYING CAPACITY WITHOUT BRAKES	GVWR WITH BRAKES	CARRYING CAPACITY WITH BRAKES	BED WIDTH	OVERALL WIDTH	OVERALL LENGTH	BED LENGTH	HITCH HEIGHT	DECK HEIGHT	STANDARD TIRES	OPTIONAL TIRES
APT610	650	2995	2345	3500	2850	72	92.0	158	120	17	20	ST205/75D15C	ST205/75R15C ALUM
APT612	705	2995	2290	3500	2795	72	92.0	182	144	17	20	ST205/75D15C	ST205/75R15C ALUM
APT614	780	2995	2215	3500	2720	72	92.0	206	168	17	20	ST205/75D15C	ST205/75R15C ALUM

Please Note: Recommended tongue weight 7-10% of GVWR. All trailers have 2" ball couplers. Prices and specifications may change without notice. It is the responsibility of the purchaser to adhere to the brake laws regarding trailers. For full information on the laws in your state, contact the appropriate State Motor Vehicle Dept. Call your local dealer for lead times.

**ELECTRIC DRUM BRAKES ARE
OPTIONAL ON APT'S**

CALL OR VISIT
US ONLINE: **800-232-3780**

WWW.TRITONTRAILERS.COM



SCAN THIS CODE FOR
THE APT WEBPAGES



GET THE MOST OUT OF EVERY DOLLAR WITH A QUALITY MULTI-USE TRITON TRAILER FOR THE MOST OVERALL VALUE



ATV108 W/OPTIONAL TONGUE JACK, SPARE TIRE, SPARE TIRE CARRIER, AND FRONT RAIL KIT

ATV128 W/OPTIONAL SPARE TIRE, SPARE TIRE CARRIER, STONE GUARD, AND FRONT RAIL KIT



AUT1064 W/OPTIONAL TONGUE JACK, ALUMINUM RIMS, AND SIDE KIT



SL18 W/OPTIONAL SPARE TIRE, SPARE TIRE CARRIER, AND SURGE BRAKES



AUT1282 W/OPTIONAL SPARE TIRE, SPARE TIRE CARRIER, ALUMINUM RIM, AND RAIL KITS



UT12-2 W/OPTIONAL SPARE TIRE, SPARE TIRE CARRIER, ALUMINUM RIMS, RAMP KIT, AND ELECTRIC BRAKES



CH20 W/OPTIONAL SPARE TIRE, SPARE TIRE CARRIER, ALUM RIMS, AND ELECTRIC TONGUE JACK



AUT1282 W/OPTIONAL SPARE TIRE, SPARE TIRE CARRIER, ALUMINUM RIMS, AND RAIL KITS

AUT1082 W/OPTIONAL SPARE TIRE, SPARE TIRE CARRIER, ALUM RIMS, WHEEL CHOCKS, AND RAIL KITS



AUT1064 W/OPTIONAL SPARE TIRE, SPARE TIRE CARRIER, ALUM RIMS, TONGUE JACK, AND SIDE KIT



AUT1019 W/OPTIONAL SPARE TIRE, SPARE TIRE CARRIER, AND RAIL KIT

WWW.TRITONTRAILERS.COM

TRAILERS ARE SHOWN W/OPTIONS, SEE
YOUR LOCAL TRITON DEALER FOR DETAILS

Please Note: Recommended tongue weight 7-10% of GVWR. *Brake options will change the overall length of trailer. Brakes are standard on all Car Haulers (both elec. only), AUT1482-2, AUT1682 (one elec. std., 2nd opt.), UT16-7 (one std., 2nd opt., either surge or elec.). All Trailers have 2" ball couplers except for the AUT1482-2, AUT1682, UT16-7 & Car Hauler Series which have a 2 5/16" ball size. Upgraded tires will change deck heights. Prices and specifications may change without notice. It is the responsibility of the purchaser to adhere to the brake laws regarding trailers. For full information on the laws in your state, contact the appropriate State Motor Vehicle Dept.

SPECIFICATIONS:

MODEL	TRAILER WEIGHT	WITHOUT BRAKES		WITH BRAKES		AXLE QTY.	OVERALL WIDTH	BED WIDTH	OVERALL LENGTH	BED LENGTH	HITCH LENGTH	DECK HEIGHT	TILT DECK	LOADING STYLE	RAMP STYLE	PLYWOOD THICKNESS	BRAKE OPTIONS	STANDARD TIRES (R= RADIAL TIRES, D= RIAS PLY TIRES)	OPTIONAL TIRES
		GVWR	CARRYING CAPACITY	GVWR	CARRYING CAPACITY														
ATV88	360	1880	1520	--	--	1	79.75	79	150	104	18	22	NO	SIDEREAR	YES	1/2	N/A	18.5X8C	20.5X10C
ATV128	520	2995	2475	3500	2980	1	79.75	79	202	152	22	25.5	NO	SIDEREAR	YES	1/2	SURGE/ELEC	20.5X10E	ST145/R12E
ATV128-2	680	2995	2315	4400	3720	2	79.75	79	202	152	22	25.5	NO	SIDEREAR	YES	1/2	SURGE/ELEC	20.5X10C	ST145/R12E
ATV168	780	2995	2215	4400	3620	2	79.75	79	250	200	22	25.5	NO	SIDEREAR	YES	1/2	SURGE/ELEC	20.5X10C	ST145/R12E
SL8	400	1880	1480	--	--	1	79.75	79	149	101	18	22	NO	SIDE	YES	1/2	N/A	18.5X8C	20.5X10C
SL12	670	2995	2325	3500	2830	1	79.75	79	201	152	22	25.5	NO	SIDE	YES	1/2	SURGE/ELEC	20.5X10E	ST145/R12E
SL12-2	830	2995	2165	4400	3570	2	79.75	79	201	152	22	25.5	NO	SIDE	YES	1/2	SURGE/ELEC	20.5X10C	ST145/R12E
SL16	940	2995	2055	4400	3460	2	79.75	79	249	200	22	25.5	NO	SIDE	YES	1/2	SURGE/ELEC	20.5X10C	ST145/R12E
UT8	440	2700	2260	--	--	1	94	74	142	96	19	22	YES	REAR	OPT.	5/8	N/A	ST175/80D13C	ST175/80D13C ALUM
UT10	520	2700	2180	--	--	1	94	74	166	120	19	22	YES	REAR	OPT.	5/8	N/A	ST175/80D13C	ST175/80D13C ALUM
UT12	780	2995	2215	3500	2720	1	102	81	192	144	21	24	NO	REAR	OPT.	5/8	SURGE/ELEC	ST205/75R14C	ST205/75R14C ALUM
UT12-2	900	2995	2095	6000	5100	2	102	81	192	144	21	24	NO	REAR	OPT.	5/8	SURGE/ELEC	ST205/75D14C	ST205/75R14C ALUM
UT16	1000	2995	1995	6000	5000	2	102	81	238	192	21	24	NO	REAR	OPT.	5/8	SURGE/ELEC	ST205/75D14C	ST205/75R14C ALUM
UT16-7	1175	--	--	7000	5825	2	102	81	238	192	21	24	NO	REAR	OPT.	1	1 AXLE STD. SURGE/ELEC	ST205/75D14C	ST205/75R14C ALUM
GU8	290	1880	1590	--	--	1	72	53	138	96	16	17	YES	REAR	OPT.	1/2	N/A	18.5X8C	4.80X12C
GU10	370	2090	1720	--	--	1	82	64	164	120	17	18	YES	REAR	OPT.	1/2	N/A	5.30X12C	20.5X10C
AUT853 AUT853B	350	2200	1850	--	--	1	75	53	142	96	18	20	NO	REAR	YES	ALUM	N/A	ST175/80D13C	ST175/80D13C ALUM ST205/75D14C ST205/75R14C ALUM
AUT864 AUT864B	375	2200	1825	--	--	1	86	64	142	96	18	20	NO	REAR	YES	ALUM	N/A	ST175/80D13C	ST175/80D13C ALUM ST205/75D14C ST205/75R14C ALUM
AUT1064 AUT1064B	400	2200	1800	--	--	1	86	64	165	120	18	20	NO	REAR	YES	ALUM	N/A	ST175/80D13C	ST175/80D13C ALUM ST205/75D14C ST205/75R14C ALUM
AUT1464	760	2995	2235	3000	2240	1	86	64	226	168	14.5	18.5	NO	REAR	YES	ALUM	SURGE/ELEC	ST205/75R14C	ST205/75R14C ALUM
AUT1464-2	940	2995	2055	4400	3460	2	86	64	226	168	14.5	18.5	NO	REAR	YES	ALUM	SURGE/ELEC	ST205/75D14C	ST205/75R14C ALUM
AUT1082 AUT1082B	680	2995	2315	3500	2820	1	102	82	174	120	14.5	18.5	NO	REAR	YES	ALUM	SURGE/ELEC	ST205/75D14C	ST205/75R14C ALUM
AUT1282 AUT1282B	760	2995	2235	3500	2740	1	102	82	198	144	14.5	18.5	NO	REAR	YES	ALUM	SURGE/ELEC	ST205/75D14C	ST205/75R14C ALUM
AUT1282-2 AUT1282-2B	880	2995	2115	5000	4120	2	102	82	198	144	14.5	18.5	NO	REAR	YES	ALUM	SURGE/ELEC	ST205/75D14C	ST205/75R14C ALUM
AUT1482	860	2995	2135	3500	2640	1	102	82	226	168	14.5	18.5	NO	REAR	YES	ALUM	SURGE/ELEC	ST205/75D14C	ST205/75R14C ALUM
AUT1482-2	1120	--	--	7000	5880	2	102	82	220	168	14.5	18.5	NO	REAR	YES	ALUM	STD. 1-ELEC	ST205/75D14C	ST205/75R14C ALUM
AUT1682	1240	--	--	7000	5760	2	102	82	257	192	14.5	18.5	NO	REAR	YES	ALUM	STD. 1-ELEC	ST205/75D14C	ST205/75R14C ALUM
CH18	1480	--	--	7500	6020	2	102	101	267	216	18	23	NO	SIDEREAR	YES	ALUM	STD. 2-ELEC	ST205/75R15C	ST205/75R15C ALUM
CH20	1600	--	--	7500	5900	2	102	101	291	240	18	23	NO	SIDEREAR	YES	ALUM	STD. 2-ELEC	ST205/75R15C	ST205/75R15C ALUM
CH22	1720	--	--	7500	5780	2	102	101	315	264	18	23	NO	SIDEREAR	YES	ALUM	STD. 2-ELEC	ST205/75R15C	ST205/75R15C ALUM
CHHD18	1810	--	--	9995	8185	2	102	101	284	216	18	23	NO	REAR	YES	ALUM	STD. 2-ELEC	ST225/75R15E	ST225/75R15E ALUM
CHHD20	2010	--	--	9995	7985	2	102	101	308	240	18	23	NO	REAR	YES	ALUM	STD. 2-ELEC	ST225/75R15E	ST225/75R15E ALUM
CHHD22	2210	--	--	9995	7785	2	102	101	332	264	18	23	NO	REAR	YES	ALUM	STD. 2-ELEC	ST225/75R15E	ST225/75R15E ALUM



WE COMPLY WITH
NATM'S STRICT
GUIDELINES FOR
A TRAILER
MANUFACTURER!

Triton U.S. Patent Numbers: 6,439,814
7,147,417 7,077,616 B2 5,823,559
6,247,719 B1 6,186,580 B1 6,616,388

800-232-3780
WWW.TRITONTRAILERS.COM



857 West State Street
Hartford, VT 53027
262-670-6514 fax 262-670-6545