



Why ShoreStation?

When founder Byron Godbersen designed the first ShoreStation back in 1959, he engineered it to work smarter than other lifts, but he also did one other thing – he over-built it. Heavier materials, stronger winches, better cables. Why all the fuss? Well, Byron believed that weekends at the lake should be spent relaxing with the family, not fixing broken equipment. Dependability was key way back then and it still is today. Relax, and spend your weekends doing what you love.



Byron Godbersen, Founder (1925 - 2003)

The ShoreStation Difference

Better Performance and Design

All you want to do is get in and get out... and look like a pro doing it. That's exactly why ShoreStation's time-tested lifting mechanisms, engineered for easy docking and launching have earned the trust of thousands of boat owners. The "V" shape platform allows for operation in shallow water and provides easier centering while innovative technologies like hydraulic lift systems have increased speed performance and remote controls make operation effortless.

Advanced Protection for your boat

One of the most important duties of a boat lift is to protect your boat when it's out of its element. ShoreStation does it with low maintenance aluminum construction, motor stops, aluminum/poly UltraBunks, stainless steel & brass fasteners, and GAR-MAX bushings. In addition when in the 'up' position, there are no moving parts left in the water which minimizes corrosion. Everything is corrosion resistant, protecting your boat for years to come. Optional loads guides, bow stops, and canopies add additional protection.




Features Comparison

	Friction Wheel	After-market Direct Drive*	ShoreStation® FlexPower® Electric	ShoreStation® FlexPower® Hydraulic
Wireless Operation	No	Yes	Yes	Yes
Integrated Design	No	No	Yes	Yes
Fully enclosed protective cover	No	No	Yes	Yes
24 volt DC Option	No	Yes	Yes	No
Upper Limit Safety Sensor	No	Optional*	Standard	Standard
Adjustable Upper Limit	No	No	Standard	Standard
Back Wind Sensor	No	No	Standard	Not required
Emergency manual operation	Yes	Yes	Yes	No
Auto-Up Feature	No	No	No	Yes
Remote switch for optional lights	No	Yes	No	Yes (2)

*After-market drive applications may void Shore Station factory warranty.

Speed Matters

ShoreStation Boat Lifts will get you on and off the water in a hurry!



4 Styles of Lifts to Raise and Lower Boats:



Manual - ShoreStation Manual lifts are available in 1200 lb. to 6000 lb. capacities in aluminum vertical or steel cantilever styles featuring our time tested ShoreStation winch system. The Manual wheel-driven lifts are the most economical and incorporate a geared winch for easier lifting. They remain a popular option for many boat owners, but are most practical on smaller boats. See page 8 & 9 for more details on ShoreStation Manual boat lifts.



FlexPower® Hydraulic - Raising and lowering your boat has never been faster or easier. ShoreStation Hydraulic Boat Lifts are available in 4000 lb. to 15,000 lb. capacity vertical lifts. They come standard with two multi-function wireless remote controls for convenient push button operation. Because most of the hydraulic operating parts can be placed on one side of the boat lift, these models allow much easier access in and out of the boat. See page 4 & 5 for more details on ShoreStation Hydraulic boat lifts.



FlexPower® Electric - ShoreStation electric units are available in 1500 lb. to 7000 lb. capacity vertical lifts. They feature our time tested ShoreStation winch system with an integrated drive motor, wireless remote controls, and upper limit and back wind controls to prevent damage. If you are looking for good value with push button convenience a electric lift may be just the lift for you. See page 6 & 7 for more details on ShoreStation electric boat lifts.



PWC Lifts - ShoreStation PWC lifts are available in 800 lb. to 1500 lb. capacities. Your choice of dock-mount or free-standing models for one or two machines with many of the same features as our larger lifts. See page 10 & 11 for more details on ShoreStation PWC Lifts.

Adjustability for the Perfect Fit

ShoreStation offers lifts to fit virtually any boat up to 15,000 lb. whether you need it for a ski boat, cruiser, pontoon, personal watercraft or for deep water. Achieving the perfect fit means better performance and safety. Reinforced adjustable bunks are mounted on sturdy support channels to shoulder the load. Fully adjustable brackets allow them to custom fit your boat.

Accessorize-ability

Different users have different needs and that's why ShoreStation offers a complete line of Genuine ShoreStation Accessories. Everything from bow stops and load guides to centering devices.

ShoreStation® | The original since 1968



*From the sleek, clean look
to the smooth, level-lift
operation, ShoreStation
FlexPower® Hydraulic Lifts
are packed with features to
make your life easier.*

FlexPower® HYDRAULIC

FEATURES & BENEFITS

- 1 **Fast, Effortless Lift** - Reliable DC power delivers maximum and constant power to the pump resulting in the fastest lift time of any power system available. No more worrying about low voltage AC power supplies—our exclusive lift will get you on and off the water in a hurry!
- 2 **Reliable Performance** - Yields 6-8 cycles on a fully charged battery. It not only provides fingertip up/down control with the wireless remote, but the battery tender or solar panel automatically recharge the battery with no daily maintenance. Now that's convenient!
- 3 **FlexPower Versatility** - Allows the user to choose from three power sources to recharge the battery. One power source can even be used to back up another.
 - **Battery Tender®** - Take the hassle out of battery maintenance. Standard on all FlexPower® systems. Fully automatic and microprocessor controlled, it will quickly charge the battery and then switch to float/maintenance mode to protect the battery. Charges and maintains your battery using 110 volt AC power source if available.
 - **Solar Battery Charging System** - The optional speedy 20 watt charger recharges your battery much faster than the ordinary 10 watt model. A solar regulator prevents battery drain and protects your battery from the permanent damage caused by overcharging.
 - **Boat Battery Power Cord (HAC082)** - Use the boat battery to "boost" the lift battery by simply plugging them together. Optional.
- 4 **Superior Design** - Hydraulic pump and cylinder are mounted on the lift above the waterline allowing you to keep your hydraulic pump off the dock and no more worrying about corroded cylinders. Boarding step and distinctive Drop Side allow for easy boarding. Pivoting maintenance free aluminum/poly bunks* are mounted on sturdy support channels to shoulder the load. What more can you ask for?



The best cable warranty on the market!

Our lifts are backed by the best warranty in the industry! Our unique design never winds the cables on a pipe significantly increasing cable life. Yearly cable maintenance is a thing of the past!



Go from lifted to launched with the **swift,** **unmatched power** of FlexPower® Hydraulics

Standard Features...



WIRELESS REMOTE

Raise and lower your ShoreStation FlexPower hydraulic lift with this water resistant multi-function remote transmitter. Programming and operation all in one unit! Comes standard with 2 remote transmitters.



DOES/IDE UP/DOWN OPERATION

Misplaced your remote? Use the convenient up/down switch mounted directly on your lift.



BATTERY TENDER®

Recharge the lift battery with AC power source.



SSV60120HS

Add these accessories for even more convenience...



LIFT LEVELER

Level your lift and stay dry with our new screw-adjustment leg system! A cordless drill allows quick height adjustment with fluctuating water levels.



LOAD GUIDES AND CENTERING DEVICE

Protect your boat from damage and perfectly center it everytime you drive on.



SOLAR BATTERY CHARGING SYSTEM

Recharge the lift battery with clean, free solar power.



FULLY ADJUSTABLE PADDED BOW STOP

This optional accessory stops inboard boats in the proper position everytime.

See the Hydraulic model chart on page 14 for a complete list of models and specifications.

ShoreStation® | The original since 1989



FlexPower® ELECTRIC

FEATURES & BENEFITS

- 1 **Simple, Integrated Design** - To ensure the highest level of performance and reliability, the time-tested ShoreStation winch with direct drive motor is integrated into a system that efficiently powers the lift. No more worrying about compatibility or whether your lift will perform safely within load limits. The stylish, corrosion-free cover protects the motor from the elements while giving the unit a clean, finished appearance.
- 2 **Powerful Control at Your Fingertips** - State-of-the-art electronic control system offers the ultimate in push-button convenience. Comes standard with 2 water resistant multi-functional remote transmitters, or use the convenient dockside up/down switch on the winch case.
- 3 **Maximum Safety** - Our FlexPower electric lifts, unlike aftermarket electric lifts, feature a back-wind sensor and up per limit switch protecting the lift from damage. The adjustable upper limit switch stops the platform at any desired height for added safety.
- 4 **FlexPower Versatility** - Allows the user to choose from three power sources to recharge the battery. One power source can even be used to back up another. You can even choose a 12 volt or 24 volt system.
 - **Battery Tender®** - Take the hassle out of battery maintenance. Standard on all FlexPower® systems. Fully automatic and microprocessor controlled, it will quickly charge the battery and then switch to float/maintenance mode to protect the battery. Charges and maintains your battery using 110 volt AC power source if available.
 - **Solar Battery Charging System** - The optional speedy 20 watt charger recharges your battery much faster than the ordinary 10 watt models. A solar regulator prevents battery drain and protects your battery from the permanent damage caused by overcharging.
 - **Boat Battery Power Cord (HA0082)** - Use the boat battery to "boost" the lift battery by simply plugging them together. Optional.



*Our new line of **Electric models** represents the next generation of ShoreStation Lifts – an innovative electric drive unit with fully-integrated motor and state-of-the-art push-button control.*



The best cable warranty on the market!

Our lifts are backed by the best warranty in the industry! Our unique design never winds the cables on a pipe significantly increasing cable life. Yearly cable maintenance is a thing of the past!

From covered to cruising, Electric models secure **convenience** at your **fingertips**

Standard Features...



SSV50120EDS

WIRELESS REMOTE

Raise and lower your ShoreStation FlexPower Electric lift with this handy remote transmitter. Two come standard.

BATTERY CHARGERS

Recharge the lift battery easier than ever with either the Battery Tender® or Solar Battery Charging System.

Add these accessories for even more convenience...

DROP SIDE

The unique Drop Side provides easy access to your boat.

LIFT LEVEL'R

Level your lift and stay dry with our new screw adjustment leg system! A cordless drill allows quick height adjustment with fluctuating water levels.

SOLAR BATTERY CHARGING SYSTEM

Recharge the lift battery with clean, free solar power.

LOAD GUIDES AND CENTERING DEVICE

Protect your boat from damage and perfectly center it every time you drive on.

Available on lifts from 1,500 to 7,000 pounds. See page 14 for a complete list of models and specifications.

ShoreStation® | The original since 1959

Manual Aluminum models for 1500 lb. fishing boats, to the largest – for 6000 lb. cruisers, you'll get years of convenient, dependable operation.



MANUAL ALUMINUM

FEATURES & BENEFITS

- 1 **Time-tested ShoreStation Winch** – Has earned the trust of thousands of boat owners with decades of proven history. It offers smoother lifting and dependability far superior to any ordinary winch. The Wheel Lock Mechanism safety feature is spring activated, preventing the platform from being raised too high.
- 2 **Superior Design** – The "V" shape of the platform allows for operation in shallow water and provides easier centering. It is raised and lowered vertically to eliminate torque that would fatigue and weaken the lift. In the "up" position, there are no moving parts left in the water which minimizes corrosion.
- 3 **Durable Low Maintenance Construction** – Everything is designed for years of dependable service: aluminum construction, stainless steel cables, polyaluminum bunks, sealed roller bearings in winch tube pulleys, stainless steel/brass fasteners, GAR-MAX bushings. The bolt-together aluminum construction provides superior environmental endurance and eliminates the need for aluminum welds while adding to the strength and stability of the lift.





Our popular **all-steel, cantilever-style lift** has been updated with advanced pulley materials and bearing surfaces, and a more refined winching system.

MANUAL STEEL

FEATURES & BENEFITS

- 1 **Time-tested ShoreStation Winch**—Virtually unchanged for over 40 years, it offers smoother lifting and dependability far superior to any ordinary winch.
- 2 **Simple, Reliable Design**—Our popular all-steel cantilever-style lift has been updated with top-quality pulley materials and bearing surfaces. The adjustable legs allow you to keep the platform level while conforming to the contours of an uneven lake bed.
- 3 **Stable, Heavy-duty Construction**—The heavy-duty all-steel frame has a baked on, powder-coated finish that resists corrosion, chipping, and fading more than conventional paints.



MOTOR STOP
For an added measure of safety and perfect positioning time after time.

See the Steel & Aluminum Lifts chart on page 15 for a complete list of models and configurations.

ShoreStation® | The original since 1939



ShoreStation PWC lifts

*For any personal
watercraft and nearly
all waterfronts – up to
1500 lb capacity and
5'6" deep!*

*Available in **three** different styles...*

Dock Mount



1000 lb. Capacity

Aluminum Dock Mount lifts feature a space saving footprint and convenient boarding access from the dock.

- Mounts to ShoreStation Classic Sectional Dock, Shore Bridge or most standard docks.
- Geared brake winch with nylon strap and level lift cable provide safe, unbinding, up-down operation.
- Optional electric drive winch.
- Fully-carpeted, 2' x 6" bunks provide solid support.

Free-standing Single



800 lb. Capacity - Steel Cantilever

With 800 lb. capacity this powder-coated steel PWC lift may be economical, but that doesn't mean it isn't packed with features:

- Cantilever platform and brake winch provide safe up-down operation.
- Self-adjusting, pivoting bunks cradle the watercraft's hull, providing better support and evenly distributing weight.
- Corrosion resistant glass-filled thermoplastic pulleys and pulley placement ensure minimal wear on moving parts and increased durability.
- Also available with 4 legs.



1000 lb. Capacity - Aluminum Cantilever

This aluminum constructed cantilever style PWC lift can handle watercrafts up to 1000 lb.

- 30" operator's wheel and brake winch provides safe, smooth operation.
- Self-adjusting, pivoting bunks cradle the watercraft's hull.
- Heavy-duty aluminum frame and posts for larger watercrafts.
- Also available with 4 legs for deeper water, electric drive, optional canopy, or aluminum/poly UltraBunks.



1500 lb. Capacity - Aluminum Vertical

Our new vertical lift design can handle deeper water and your largest crafts - up to 5'6" deep and 1500 lbs capacity!

- Boarding your craft has never been easier and safer with the open walk through design.
- Keep your craft safe, high above waves with a lift height of 5'6". Perfect for fluctuating water.
- 30" operator's wheel for smoother lifting and dependability far superior to any ordinary winch.
- Self-adjusting, pivoting bunks cradle watercraft's hull.
- Add the optional canopy, front bow stop or aluminum/poly UltraBunks.

Free-standing Two-Place



1000 lb. Capacity Each

This is no ordinary boat lift. The two-place Free-standing PWC lift has space for two 1000 lb. machines.

- Independently operated lift platforms and operator's wheel with brake winches for smooth operation.
- Also available with electric drive.
- Designed for years of dependable service with corrosion resistant aluminum construction, thermoplastic pulleys and stainless steel bearing surfaces.
- Add the optional canopy and aluminum/poly UltraBunks.

See the PWC lift chart on page 15 for a complete list of models and capacities.

ShoreStation®

The original since 1989

ShoreStation offers a complete line of boat lift accessories to help you custom-fit your lift to your lifestyle.

Ask your dealer about these and other ShoreStation accessories:

BOAT STOPS

Bring your boat to a stop in the perfect position every time.

HAT180 for 1,500 to 2,000 lb. models with steel cradle

HAT242 for 3,000 to 5,000 lb. models with steel cradle

H40099 for 1,500 to 2,000 lb. models with aluminum cradle

H40098 for 3,000 to 5,000 lb. models with aluminum cradle

H40112 for 6,000 to 10,000 lb. Hydraulic

ULTRABUNKS

The maintenance-free aluminum/poly alternative to traditional wood bunk. Ultra-durable... ultra-strong, yet flexible...

UltraBunk®

H40117 for SS1564

H40027 fits SS1853, SS1853P, SS1062, SS1062P, SS1052P

H40026 fits SS1728S, SS1728S-4

H40054 fits SS145120

EXTENSION LEGS

These legs are already adjustable to conform to uneven lake beds, but add our optional extension legs to raise in deeper water, or new lift leveler screw jack legs.

H40140 Lift Leveler leg. See dealer for fit.

H40141 Lift Leveler leg. See dealer for fit.

ROLL-IN KIT

This handy kit adds wheels to the frame of your lift for easy roll-in, roll-out installation and removal.

Kit is comprised of:

H40017 Elevating Arm

H40018 Spindle Mount

SS10593 Polywheel



DROP SIDE KIT

The unique Drop Side provides easy access to your boat. This popular feature is standard on our Hydraulic models but now it is available as a kit for use on Direct Drive and Manual models.

H40071 108" Kit for 1,500 to 4,000 lb. models

H40072 132" Kit for 5,000 to 6,000 lb. models



BATTERY TENDER

Take the hassle out of battery maintenance with this fully automatic battery charger and maintainer.

H40083 for lifts with 72V system


H40084 for lifts with 24V system



*This model is shown with all accessories. Typically bunk load guides and the device are not used together.



Accessories



CENTERING DEVICE

The flex-action of these new guide posts makes loading your boat easier than ever before. As the boat enters the lift they self-adjust to keep the boat centered for trouble-free loading every time.

SS1222 for 3000 to 6000 lb. models with steel cradle

HA0102 for 3000 to 7000 lb. models with aluminum cradle

HA0107 for 8000 to 10,000 lb. models Hydraulic

BUNK LOAD GUIDES

These carpeted bunk guides keep your boat centered as you enter the lift.

HA0011 for steel cradle. See dealer for fit.

HA0012 for steel cradle. See dealer for fit.

HA0138 for aluminum cradle. See dealer for fit.

HA0139 for aluminum cradle. See dealer for fit.

HA0101 for aluminum cradle. See dealer for fit.

HA0104 for 8,000 to 10,000 lb. Hydraulic

HA0105 for 75,000 lb. Hydraulic

POST LOAD GUIDES

These front post load guides are used in conjunction with the centering device to help center the bow of your boat as you enter the lift.

HA0004 for 3,000 to 6,000 lb. models with steel cradle

HA0007 for 3,000 to 6,000 lb. models with aluminum cradle

HA0106 for 8,000 to 10,000 lb. Hydraulic



LED 12V Canopy Light (HA0111)

Remote control safety/security light emits the light of a 40 watt bulb. For FlexPower Hydraulic Lifts.

ShoreStation Vinyl Covers



Vinyl Canopy Cover Color Options

BLUE

GREEN

WHITE

TAN

GRAY

Protect your boat with a Genuine ShoreStation Canopy Cover. Our standard covers feature a vinyl-coated nylon fabric, superior construction with heat welded seams. Available in a variety of sizes to fit most ShoreStation Lifts.



RECHARGE THE LIFT BATTERY

20 watt panel with charge regulator and canopy post-mount kit.

HA0110 12 Volt Solar Panel Kit

HA0125 24 Volt Solar Panel Kit

Specialized Boat Lift Transportation Accessories



ROAD TRANSPORT KIT - SSAA - Tow your lift

to-and-from the water. All you do is add rubbers to the wheels provided, attach the kit to the unit and hit the road. The kit includes two SS150 Spindle/Hub Assemblies, two SS451 15" rims, one SS4730H set attaching brackets, and one SS1231A Tongue Assembly. For models with capacities from 7,500 lb. to 9,000 lb.



SS8K1250 LIFT TRAILER This specially designed trailer is the easiest way to transport a fully assembled ShoreStation lift. It has a 1250 lb. carrying capacity and fits lifts 106" wide or larger.



CARRYING HANDLES - SS233 - This set of custom handles allows you and three friends to walk your lift into position. For models with capacities from 7,000 lb. to 9,000 lb.

WATER TRANSPORT KIT HA0014 - This adjustable kit makes it easy to transport a lift across water using a Jon boat or similar flat bottom boat. Adjusts for aluminum lifts with 7,500 lb. to 6,000 lb. carrying capacities.

ShoreStation The original since 1959

SHORESTATION LIFT SPECIFICATIONS

Models and specifications are subject to change. Recommended carrying capacity is based on the shipping weight of the boat lift with standard equipment. Adding optional equipment may decrease the boat lift's carrying capacity. Your ShoreStation dealer can recommend the specific model that meets your needs.

DECODING SHORESTATION MODEL NUMBERS

Model numbers provide details about the boat lift's capacity and other characteristics.
For Example: SSV40120EDSDW = a ShoreStation Standard Platform Boat Lift with 4000 lb. carrying capacity, 120" maximum beam with a DC Direct Drive power source, stainless steel hardware and deep water legs.

SS	V	40	120	ED	S	DW
SS = ShoreStation	V = Standard PV = Pontoon	MAX. CAPACITY (in 100s of lbs.)	MAX. BEAM (in inches)	ED = DC Direct Drive EA = AC Direct Drive HS = FlexPower® Hydraulic M = Manual	S = Stainless hardware	DW = Deep water leg — = Standard leg

Aluminum Vertical Boat Lift Construction & Standard Features

	Power System	Cradle	Fasteners	Bunks	Controller	Protection	Other Standard Features
HS	FlexPower® Hydraulic	Aluminum	Stainless/Brass	Ultra Bunks*	Multi-function Remote & Rocker Switch	Top Limit Sensor	Battery Tender, Battery Box, Adjustable Step
EDS	FlexPower® DC 12 Volt Electric	Aluminum	Stainless/Brass	Ultra Bunks	Multi-function Remote & Rocker Switch	Top Limit & Backwind Sensors	Integrated Power Winch w/Cover, Battery Box, Battery Tender
MS	Manual	Aluminum	Stainless/Brass	Ultra Bunks	N/A	Top Limit Lock	

Aluminum Vertical Lifts 1500 lb. - 7000 lb.

Base Model #	Max. Load Capacity	Inside Width Between Posts	Lift Height	Overall Width (w/base pads)	Maximum water depth with Boat out of water 24"				FlexPower® DC 12 Volt Hydraulic "HS"	FlexPower® DC Electric "EDS"	Manual "MS"
					Standard Adjustable Legs	40" Extention Legs	Deep Water Models	Lift Level'r Legs			
SSV15100	1500 lb. (680kg)	100" (2.54m)	48" (1.22m)	9'7" (2.92m)	4'8" (1.42m)	6'4" (1.93m)	7'7" (2.31m)	5' (1.52m)	N/A	STD/DW	STD/DW
SSV20100	2000 lb. (907kg)	100" (2.54m)	48" (1.22m)	9'7" (2.92m)	4'8" (1.42m)	6'4" (1.93m)	7'7" (2.31m)	5' (1.52m)	N/A	STD/DW	STD/DW
SSV30108	3000 lb. (1361kg)	108" (2.74m)	48" (1.22m)	10'4" (3.15m)	4'8" (1.42m)	6'4" (1.93m)	7'7" (2.31m)	5' (1.52m)	N/A	STD/DW/PT	STD/DW/PT
SSV30120	3000 lb. (1361kg)	120" (3.05m)	48" (1.22m)	11'4" (3.45m)	4'8" (1.42m)	6'4" (1.93m)	7'7" (2.31m)	5' (1.52m)	N/A	STD/DW/PT	STD/DW/PT
SSV40108	4000 lb. (1814kg)	108" (2.74m)	48" (1.22m)	10'4" (3.15m)	4'8" (1.42m)	6'4" (1.93m)	7'7" (2.31m)	5' (1.52m)	STD/DW/PT	STD/DW/PT	STD/DW/PT
SSV40120	4000 lb. (1814kg)	120" (3.05m)	48" (1.22m)	11'4" (3.45m)	4'8" (1.42m)	6'4" (1.93m)	7'7" (2.31m)	5' (1.52m)	STD/DW/PT	STD/DW/PT	STD/DW/PT
SSV50108	5000 lb. (2268kg)	108" (2.74m)	54" (1.37m)	10'4" (3.15m)	5'2" (1.57m)	6'10" (2.08m)	8'1" (2.46m)	5'6" (1.67m)	N/A	STD/DW/PT	STD/DW/PT
SSV50120	5000 lb. (2268kg)	120" (3.05m)	54" (1.37m)	11'4" (3.45m)	5'2" (1.57m)	6'10" (2.08m)	8'1" (2.46m)	5'6" (1.67m)	N/A	STD/DW/PT	STD/DW/PT
SSV60108	6000 lb. (2722kg)	108" (2.74m)	54" (1.37m)	10'4" (3.15m)	5'2" (1.57m)	6'10" (2.08m)	8'1" (2.46m)	5'6" (1.67m)	STD/DW/PT	STD/DW/PT	STD/DW/PT
SSV60120	6000 lb. (2722kg)	120" (3.05m)	54" (1.37m)	11'4" (3.45m)	5'2" (1.57m)	6'10" (2.08m)	8'1" (2.46m)	5'6" (1.67m)	STD/DW/PT	STD/DW/PT	STD/DW/PT
SSV70132	7000 lb. (3175kg)	132" (3.35m)	54" (1.37m)	12'4" (3.76m)	5'2" (1.57m)	6'10" (2.08m)	8'1" (2.46m)	5'6" (1.67m)	N/A	STD/DW/PT	N/A

Base models are available configured with these drive systems and options: **STD**= Standard Legs **DW**= Deep Water Legs **PT**= Pontoon Supports

Note: For more detailed specifications go to www.shorestation.com

Aluminum Vertical Lifts 8000 lb. - 15000 lb.

Base Model #	Lift Type	Max. Load Capacity	Inside Width Between Posts	Lift Height	Overall Width (w/base pads)	Maximum water depth with Boat out of water 24"			FlexPower® DC 12 Volt Hydraulic "HS"	FlexPower® DC 24 Volt Hydraulic "HS"
						Standard Adjustable Legs	40" Extention Legs	Deep Water Models		
SSV80132	Standard	8000 lb. (3629kg)	132" (3.35m)	66" (1.68m)	12'9" (3.89m)	N/A	N/A	9'10" (3.0m)	HSDW	N/A
SSV100132	Standard	10000 lb. (4536kg)	132" (3.35m)	66" (1.68m)	12'9" (3.89m)	N/A	N/A	9'10" (3.0m)	N/A	HSDW
SSV150144	Standard	15000 lb. (6803kg)	144" (3.66m)	72" (1.83m)	13'9" (4.19m)	N/A	N/A	10'11" (3.33m)	N/A	HSDW

Note: *except 15,000 lb. lifts. For more detailed specifications go to www.shorestation.com

Steel Cantilever Lifts 3600 lb. - 4500 lb.

Base Model #	Max. Load Capacity	Inside Width Between Posts	Lift Height	Overall Width (w/base pads)	Maximum water depth with Boat out of water 24"		Weight
					Standard Adjustable Legs	40" Extension Legs	
SS36110	3600 lb. (1633kg)	110" (2.80m)	48" (1.22m)	10' 6" (3.20m)	36" (91m)	54" (1.37m)	1045 lb. (474kg)
SSV45120	4500 lb. (2041kg)	120" (3.05m)	48" (1.22m)	11' 3" (3.43m)	76" (1.93m)	N/A	1200 lb. (474kg)

Note: For more detailed specifications go to www.shorestation.com

Aluminum Free-standing Cantilever Lifts

Base Model #	Max. Load Capacity	Inside Width Between Posts	Lift Height	Overall Width (w/base pads)	Maximum water depth with Boat out of water 24"		Adjustable Legs	Weight
					Standard Adjustable Legs	40" Extension Legs		
SSV1288	1200 lb. (544kg)	88" (2.24m)	42" (1.07m)	8' 3" (2.51m)	44" (1.12m)	N/A	2	208 lb. (94.35kg)
SSV1288-4	1200 lb. (544kg)	88" (2.24m)	42" (1.07m)	8' 3" (2.51m)	44" (1.12m)	64" (1.63m)	4	208 lb. (94.35kg)

Note: For more detailed specifications go to www.shorestation.com

PWC Free-standing Vertical Lifts

Base Model #	Construction	Single or 2-Place	Max. Load Capacity	Inside Width Between Posts	Lift Height	Lift Mechanism	Adjustable Legs	Overall Width (w/base pads)	Maximum Water Depth with PWC out of water 24"
SS1564M	Aluminum	Single	1500 lb. (680kg)	64" (1.63m)	56" (1.42m)	Manual	4	76" (1.93m)	66" (1.68m)

Note: For more detailed specifications go to www.shorestation.com

PWC Free-standing Cantilever Lifts

Base Model #	Construction	Single or 2-Place	Max. Load Capacity	Inside Width Between Posts	Lift Height	Lift Mechanism	Adjustable Legs	Overall Width (w/base pads)	Maximum Water Depth with PWC out of water 24"
SS853	Steel	Single	800 lb. (363kg)	53" (1.35m)	42" (1.07m)	Manual	2	64" (1.63m)	24" (.61m)
SS8531	Steel	Single	800 lb. (363kg)	53" (1.35m)	42" (1.07m)	Manual	4	64" (1.63m)	40" (1.02m)
SS1062	Aluminum	Single	1000 lb. (454kg)	62" (1.57m)	42" (1.07m)	Manual	2	76" (1.93m)	24" (.61m)
SS10621	Aluminum	Single	1000 lb. (454kg)	62" (1.57m)	42" (1.07m)	Manual	4	76" (1.93m)	44" (1.18m)
SS10621E						110V Electric			
SSD10521	Aluminum	2-Place	1000 lb. ea. (454kg)	52" (1.32m)	42" (1.07m)	Manual	4	122" (3.10m)	44" (1.18m)
SSD10521E						110V Electric			

Note: For more detailed specifications go to www.shorestation.com

PWC Dock Mount Lifts

Base Model #	Construction	Dock Type Mount System	Lift Mechanism	Winch Post Height	Max. Load Capacity	Inside Width Between Posts	Lift Height	Adjustable Legs	Maximum water depth with Boat out of water 24"		
									Overall Width (w/base pads)	Standard Adjustable Legs	40" Extension Legs
SS1053	Aluminum	ShoreBridge Classic Universal	Manual 110V Electric	7' (2.13m) 10' (3.05m)	1000 lb. (454kg)	53" (1.35m)	48" (1.22m)	1	58" (1.47m)	4' (1.22m)	6' 8" (2.03m)

Note: For more detailed specifications go to www.shorestation.com

ShoreStation®

Bring new meaning to "Living On The Lake"



It's amazing how the neighborhood kids all seem to congregate at the house with the most toys. The same is true of adults. That's why ShoreStation waterfront systems are so popular. Our complete line of lifts, docks and accessories make it easy to express yourself with a custom outdoor fun center.

WATERFRONT SYSTEMS

Since 1959 the ShoreStation name has stood for top quality lifts and dock systems. That proud tradition continues today with innovative products like our complete line of ShoreStation Hydraulic Lifts. ShoreStation quality and features combined with a complete level of convenience. Everything you need to make the neighbors green with envy!



All ShoreStation products come with one of the best warranties in the business. For more information contact your local dealer.

AUTHORIZED DEALER

ShoreStation® | The original since 1959

Manufactured by Midwest Industries, Inc.
Ida Grove, Iowa 51445 • 800.859.3028
shorestation.com

© 2008 Midwest Industries, Inc.
Revised 11/12