



# RAPTOR-2990-79-10-1

10' x 79" Deck, Wishbone NON-Tilt Tongue, Hybrid Frame Technology, 5/8" Plywood Floor, Aluminum Roll out Split ramps, Side Load ATV or Rear Load UTV/RTV, SxS







### Standard Features



Tie Down Bracket Standard with 4pcs-10', 6pcs-14' and 8pcs-17'. Tie down bracket can be positioned anywhere along the side. Extra tie downs can be added.



Compact Lighting All lighting is fully grounded plug in harnesses and grommet style lights. All corner clearance lights are 3/4" lights to minimize the amount of structural material removed.

LED Grounded



Full Length Tie **Down Channel** The tie down channels run down both sides of the trailer. The tie down brackets can be moved into any position along the side.




**Torsion Axle** 3750# Torsion axle, Galvanized Axle Body, Arm, and Hubs, Sure Lube Hubs



Roller Guided Ramps All Raptor ATV trailers come with an aluminum roll out split ramp that is lockable.





## RAPTOR-2990-79-14-1

14' x 79" Deck, Wishbone NON-Tilt Tongue, Hybrid Frame Technology, 5/8" Plywood Floor, Aluminum Roll out Split ramps, Side Load ATV or Rear Load UTV/RTV, SxS







#### KARAVAN RAPTOR SERIES

#### Three versatile Platforms

#### Balanced in Strength, Functionality, Durability, And Appearance

Through a blend of Galvanized Steel, Aluminum, Plastics and Premium Plywood

Standard integrated Patent Based Design Features, Deliver The Complete Package Showroom Ready to Hit the Trails

#### "AFTER YOU LOOK AT THE REST, BUY THE BEST"

"AFTER YOU LOOK AT THE REST, BUY THE BEST"  ATV # UTV/RTV/SxS # CARRYING TRAILER # PLYWOOD - Tie Down Alur													T at	DDAVES
MODEL	STYLE	ATV#	UTV/RTV/SxS#	CARGO DECK	OAL	CAPACITY	GVWR	WEIGHT	# AXLES	TIRES	PLYWOOD -	Tie Down	Alum Tie	
		Places	Places		5	CAPACITY	3	WEIGHT	AXLES		Marine Grade	2 -Channels	Down	Optional
RAPTOR-2990-79-10-1	Wisbone Non Tilt	TWO, Side Loaded	ONE, Rear Loaded (Including											1
KAPTOR-2990-79-10-1	w/ Split Ramp	ONE, Rear Loaded	Crews with front stop)	79" X 120"	166"	2700	3300	600	1	20.5 x 8-10E	5/8" MG-LLW	Full Length	FOUR	one axle
	w/ Split Kallip	ONE, Real Loaded	crews with front stop)	79 X 120	100	2700	3300	600	1	20.3 X 8-10E	3/8 IVIG-LLVV	run tengun	FOOR	Offic axie
RAPTOR-2990-79-10-1	Wisbone Non Tilt	TWO, Side Loaded	ONE, Rear Loaded (Including											
	w/ Split Ramp	ONE, Rear Loaded	Crews with front stop)	79" x 120"	166"	2360	2960	600	1	ST185/80D13C	5/8" MG-LLW	Full Length	FOUR	one axle
	W/ Spire Harris	orte, ricar educed	ciews with none stop)	75 X 120	100	2500	2500	000		51105/005150	3,0 1110 2211	Tun Echigan	10011	One date
RAPTOR-2990-79-10-1	Wisbone Non Tilt	TWO, Side Loaded	ONE, Rear Loaded (Including											
	w/ Split Ramp	ONE, Rear Loaded	Crews with front stop)	79" x 120"	166"	2620	3220	600	1	ST195/75D 14C	5/8" MG-LLW	Full Length	FOUR	one axle
		4000												
		THREE, Side Loaded												ľ
RAPTOR-2990-79-14-1	Wisbone Non Tilt	TWO, Rear Loaded	ONE, Rear Loaded (One ATV											1
	w/ Split Ramp	(Including Two up ATV's)	Side Loaded)	79" X 168"	214"	2561	3300	739	1	20.5 x 8-10E	5/8" MG-LLW	Full Length	SIX	one axle
		THREE, Side Loaded			-5					13				
RAPTOR-2990-79-14-1	Wisbone Non Tilt	TWO, Rear Loaded	ONE, Rear Loaded (One ATV	1000000						MARINE WILLIAM	1.0122301		1000	
	w/ Split Ramp	(Including Two up ATV's)	Side Loaded)	79" x 168"	214"	2221	2960	739	1	ST185/80D13C	5/8" MG-LLW	Full Length	SIX	one axle
		THREE, Side Loaded					-			-N-200 - 140-111	110-100		1000	1000
RAPTOR-2990-79-14-1	Wisbone Non Tilt	TWO, Rear Loaded	ONE, Rear Loaded (One ATV											
	w/ Split Ramp	(Including Two up ATV's)	Side Loaded)	79" x 168"	214"	2481	3220	739	1	ST195/75D 14C	5/8" MG-LLW	Full Length	SIX	one axle
									0					
Water Committee to the Committee of the	to the specific terms of the second	THREE, Side Loaded	342 34545											
RAPTOR-5000-79-14-2	Wisbone Non Tilt	TWO, Rear Loaded	ONE, Rear Loaded (One ATV							munificación o	- Charles - 100 -			one or both
	w/ Split Ramp	(Including Two up ATV's)	Side Loaded)	79" X 168"	214"	5000	5916	916	2	20.5 x 8-10E	5/8" MG-LLW	Full Length	SIX	axles
		THREE, Side Loaded												Service are with the service of the
RAPTOR-5000-79-14-2	Wisbone Non Tilt	TWO, Rear Loaded	ONE, Rear Loaded (One ATV	59750 2905074	100000000	0.500.000.00	1-26 MAY 2-12	288823	254		ATT DESCRIPTION OF THE PARTY.	575(574874) 0.004	5387600	one or both
	w/ Split Ramp	(Including Two up ATV's)	Side Loaded)	79" x 168"	214"	5000	5916	916	2	ST185/80D13C	5/8" MG-LLW	Full Length	SIX	axles
		THREE, Side Loaded												
RAPTOR-5000-79-14-2	Wisbone Non Tilt	TWO, Rear Loaded	ONE, Rear Loaded (One ATV	0.000 (0.0		10000000000		56.17.57.0	2000			000000000000000000000000000000000000000	\$50,000	one or both
	w/ Split Ramp	(Including Two up ATV's)	Side Loaded)	79" x 168"	214"	5000	5916	916	2	ST195/75D 14C	5/8" MG-LLW	Full Length	SIX	axles
	1 1				18	r	Te .	r e	F	1	i	E.	_	
RAPTOR-5000-79-17-2	Wisbone Non Tilt		TWO, Rear Loaded (Standard	0.0000000000000000000000000000000000000	00000	750000	************	NOTES OF	92(1)	120010-00000000000000000000000000000000	12/20/10/2019		32134401100	one or both
	w/ Split Ramp	FOUR, Side Loaded	UTV's only)	79" X 204"	250"	5000	6035	1035	2	20.5 x 8-10E	5/8" MG-LLW	Full Length	EIGHT	axles
RAPTOR-5000-79-17-2	14/1-1		THO B1											
	Wisbone Non Tilt	roup side and d	TWO, Rear Loaded (Standard	70" - 704"	250"	4005	5026	1075	-	ETARE (DODASE	E (0) N.C. 11111	e di conse	FIGUE	one or both
	w/ Split Ramp	FOUR, Side Loaded	UTV's only)	79" x 204"	250"	4885	5920	1035	2	ST185/80D13C	5/8" MG-LLW	Full Length	EIGHT	axles
RAPTOR-5000-79-17-2	Wisbone Non Tilt		TWO, Rear Loaded (Standard			l								one or both
	w/ Split Ramp	FOUR Fide Leaded	UTV's only)	70" 704"	250"	5000	6035	1035	3	ET10E /7ED 14C	E/0" NAC 111M	Full Lamable	EIGHT	axles
	w/ Spill Ramp	FOUR, Side Loaded	OTV S OTHY)	79" x 204"	250	5000	6035	1035	2	ST195/75D 14C	5/8" MG-LLW	Full Length	EIGHT	axies

#### STANDARD FEATURES:

5/8" Marine Grade Plywood w/Limited Lifetime Warranty

Tie Downs - 4pcs - 10', 6pcs - 14', 8pcs - 17'

3750# Galvanized Torsion Axle (no E-Coat)

**Sure Lube Hubs** 

Full Length Tie-Down Channels

LED Fully Grounded, Compact Lighting w/ Sealed Lights, LED clearance

lights with incandescent Tail lights.

Roller Guided Ramps, conveniently stores under the deck & Lockable

Patent based design integration & innovation

Coated, Self Coiling Safety Cables

Tongue Jack (On Tandem Trailers ONLY)

#### **OPTIONAL FEATURES:**

Front Stop

Front Stop W/ Rock Shield

Tongue Jack (Single Trailers)

Additional Tie Downs

Brake Kits:

Add Brake Kit, Single Axle Brakes (AVAIL ONLY ON MODELS WITH 13" OR 14" Tire & Wheel Assy.)

Add Brake Kit, Tandem Axle Brakes (AVAIL ONLY ON MODELS WITH 13" OR 14" Tire & Wheel Assy.)

Tires:

Upgrade to Aluminum or Galvanized Wheels - 10"

Upgrade to Aluminum or Galvanized Wheels - 13"

Upgrade to Aluminum or Galvanized Wheels - 14"

**Spare Tire Carrier** 

Note: It is the responsibility of the buyer to comply with the local laws regarding trailers. For full information on the laws in your state or Province, contact the appropriate Govt. agency.

\*Features are subject to change at any time!