


ALUMINUM SNOWMOBILE TRAILERS



TRITON

Triton VALUE has been built on the continual use of innovative designs, quality components, and a full list of standard features in every model.



Covers can be matched up with many of Triton's open snowmobile trailer models. Coveralls available for most 10', 11', and 12' long models, see pages 10 & 11 for details.

PROVIDING TRITON VALUE YEAR AFTER YEAR

STANDARD FEATURES:

XT

ELITE

FULLY WELDED ALUMINUM ALLOY
FRAME WITH CUSTOM EXTRUSIONS

TWO PIECE MOLDED WIRE HARNESS, NO SPLICES TO FAIL AND CORRODE

RUBBER GROMMETED AND SEALED LIGHTS WITH PROTECTIVE LENSES

E-COATED FOUR CORD RUBBER DEXTER TORFLEX TORSION AXLE

FLOW THROUGH EZ-LUBE GREASE SYSTEM WITH LITHIUM GREASE

SAFETY CHAINS WITH SPRING LOADED CLIPS ON THE HITCH HOOKS

FULLY TREATED LIMITED LIFETIME WARRANTY MARINE GRADE PLYWOOD

REPLACEABLE REAR DECK PROTECTOR FOR PROTECTION OF THE BACK EDGE OF THE PLYWOOD DECK

COMPOSITE SKI DEFLECTORS ON THE REAR DECK PROTECTOR (NON-RAMP MODELS)

RECESSED STANDARD INSERT NUT WITH THREADED CRANK HANDLE

GULLWING STYLE TIEDOWN BARS

FULL DECK LENGTH QUICKSLIDETM
TIEDOWN CHANNEL WITH SUR-LOCK
TIEDOWN HANDLES (LOCKABLE WITH OPT. PADLOCK)

DECALS WITH REFLECTIVE STRIPING THE FULL LENGTH OF THE SIDE RAIL

PROTECTIVE END CAPS ON THE SIDE RAIL CORNERS

1	

~

/

1

|| ✓

/ ||

1/2"

OPT.

20

Ш

ALUMINUM W PLASTIC END

Ш

OPT.

| ✓

XT SERIES:

An excellent step into an aluminum trailer for your sleds, ATV's, and more. Lightweight, easy to use, and solid designs.



Loaded with all the features giving you the most versatility, ease of use with additional market leading and innovative designs.



T SERIES:

The XT series starts where most others end, with unsurpassed features and value in every model.

XT4.5 10" x 53" tilt deck,

x 101" tilt deck, wishbone tongue, straight front. Available as XT11-101 or XT12-101

straight pole tongue, straight front.

XT10-101

XT11D-101

Elite11D-101

11' x 101" tilt plus V-front deck, straight pole tongue. Available as XTD12-101 or

XT Series Standard Features:

extrusions for light weight durability and strength

E-coated four cord rubber torsion axles for a smooth ride and independent suspension

EZ Lube™ built-in axle grease system for ease bearings and the hub

1/2" Fully treated marine grade plywood with a limited lifetime warranty for extended years of outdoor use

use and longer protection from corrosion

Steel vinyl dipped gullwing tiedown bars for securing your snowmobiles

Safety chains with spring loaded clips

Tilt deck trailers come with tongue latch system to eliminate rattling and possible tongue damage

Non-tilting V-front trailers comes with an aluminum ramp (shown on XT12VR-101) that has a "step in" gap for easy handling

Rear ramp storage under the deck includes the ramp clamp system which applies pressure to the ramp for less rattling and secures with the provided padlock

Aluminum rear deck protector protects the back edge of the plywood deck from damage when loading machines and equipment

Capped and chromed lug nuts for both style and corrosion protection

Details of standard features on pages 6 & 7

XT12VR-101

x 101" plus V-front deck, straight pole tongue, aluminum ramp. Available as XT10VR-101

By using the optional #08519 Spare Tire Carrier opposite of the #01145 Tongue Jack on the tongue (plus the spare tire) is a great way to save space (shown left on the XT12VR-101)

XT16-101

16' x 101" plus V-front, for three snowmobiles or for four ATV's, A-frame tonque, aluminum ramp. Available in a long two place XT14-101 and as a single axle trailer, XT14-101-1.

> CHECK OUT ALL OF THE **ACCESSORIES AVAILABLE** ON PAGES 8-9

XT20-101

20' x 101" plus V-front, for four snowmobiles, A-frame tongue, aluminum ramp. Available as XT22-101.

ELITE SERIES: SNOWMOBILE TRAILERS

Triton Elite trailers are loaded with features, and innovations for unmatched versatility and durability not found on others trailers. The more you know the better we look.

ELITE 5 12' x 62" tilt deck, straight pole tongue, straight front.

ELITE 10-101

10" x 101" tilt deck, straight pole tongue, straight front. Also available, Elite11-101 and Elite12-101.

ELITE 12-101WB

12" x 101" tilt deck, wishbone tongue, straight front. Also available, Elite10-101WB and Elite11-101WB.

ELITE 12R-101

12' x 101" tilt deck, straight pole tongue, straight front. Also available, Elite10R-101. Comes with pull out aluminum loading ramp.

RAMP ON/OFF FROM THE REAR WITHOUT TILTING

ADD A TRITON COVERALL TO YOUR TRITON 10', 11', OR 12' SNOWMOBILE TRAILER SEE PAGES 10-11

ELITE 12VR-101

12' x 101" plus V-front deck, straight pole tongue, Also available, Elite10VR-101. Comes with pull out aluminum loading ramp.

CHECK OUT ALL OF THE ACCESSORIES AVAILABLE ON PAGES 8-9



RAMP ON & OFF THE REAR

DRIVE YOUR SNOWMOBILE ON THE TRAILER WITH USING THE RAMP AND TILT OFF WITH EASE. USING THE OPTIONAL SKI GUIDES AND PADDLEGRABBERS ALLOWS THE PROCESS TO BE HASSLE FREE.





AVAILABLE ON PAGES 8-9

ELITE SERIES Standard Feature highlights:

Full length reflective decals on both side rails for better visibility and presence on the road

that have a limited lifetime warranty

Larger aluminum rear deck protector to improve the approach angle when loading and to protect the back edge of the plywood from damage

for less friction when loading onto tilted models



Aluminum gullwing tiedown bars with vinyl boots for securing your snowmobiles with the Sur Lock tiedown cranks, lockable with optional #03164 long shackle padlock (shown on page 7)

aluminum Quickslide™ easily adjust the tiedown position down the entire length of the deck.



Optional Quickslide™ kits are available for securing the back of snowmobiles and other loads like ATV's, UTV's, motorcycles and more.

All tandem axle trailers come with heavy duty 2500# torsion axles (excluding the Elite12VR-101-2)



Elite 14-84 Standard Features:

An 84" wide deck which is easier to see around and tows better. Stagger 2 sleds or side load 3 ATV's (below) by using the slide out aluminum ramp (rear stored under the deck) on either the side rails or rear for loading

Holes for securing side loaded ATV's in side rails Heavy duty aluminum A-frame tongue

ELITE 14-84 ACCESSORIES

trailer add the #11140 Rail Kit (shown right) or the #11130 Side Kit (shown lower right) for more hauling options




STANDARD FEATURES:

ALL TRITON SNOWMOBILE TRAILERS



Triton uses aluminum extrusions with innovative cutting edge designs to add function, rigidity and strength in key areas where it is needed the most. This allows Triton to add strength where others are lacking.



The EZ LUBE system will add

years of life to your bearings. When you push grease into the grease zerk fitting, the grease travels through the spindle, past the inner bearing, past the outer bearing and back to you effectively placing new grease throughout the hub.



DEXTER AXLE

from Dexter Axle provide a smooth ride and independent suspension for your trailer. This also makes for a safe hauling experience with less maintenance.

WISHBONE TONGUES



Every tilt trailer made by Triton will have standard a tongue latch system which will take out the slack between the deck and the tongue of the trailer. This slack is what creates

a rattling noise which over time will worsen and possibly damage your trailer tongue and deck. Enjoy a quiet ride for many years and miles with Triton's tongue latch systems.

TRAIGHT POLE TONGUES

TRITON TRAILER WARRANTY

Triton has a two year limited warranty when you register

Other warranties are available like the limited lifetime warranty on the fully treated marine grade plywood which

years of worry free use. Visit Triton online for warranty details.







All Triton snowmobile trailers have sealed lights with shock proof lenses, mounted in rubber grommets, molded wire harnesses (no splices to fail) and

harness. LED lights are an available upgrade



with pull out aluminum ramps will have the patented Ramp Clamp and holds the aluminum ramp under the deck by ramp's frame to minimize and dampen the ramp rattling found with other trailer brands. The Ramp Clamp comes with a padlock to secure the ramp when hauling. (shown right)





All trailer models come with quality spring loaded s-hooks and a snapper pin for the coupler. This adds security and safety to every Triton



STANDARD FEATURES

ON XT SERIES TRAILER MODELS



A quality 1/2" Fully treated marine grade plywood deck with limited lifetime warranty.



The XT Series have the traditional crank screw with insert nut for proven durability and long life. The XT Series also has steel vinyl dipped gullwing tiedown bars.



edge damage, larger protector on Elite models. V-nose models also have protection in front.

ON ELITE SERIES TRAILER MODELS



A quality 5/8" Fully treated marine grade plywood deck with limited lifetime warranty.



The Elite Series models have quality aluminum gullwing



Triton Elite Series trailers have reflective decals the full length of the side rails for added security and visibility on the road.

Ski Deflectors are installed on rear deck do not come with a rear loading ramp.



Optional Ski **Deflector Kits** are available for the tilt only XT models (#14900) and XT4.5 trailer (#14901).



The Elite Series come with the Sur-Lock system (above) for use in the Quickslide™ channel (right). With a few turns of the stainless steel handle, the Sur-Lock system will turn in or out of the Quickslide™ channel. The Sur-Lock handle can be locked down with the optional #03164 padlock. The

Quickslide™ channel (right) has drain holes that runs the full length of the deck. Several optional kits are available for securing and for hauling different loads, see accessories



All Triton Elite Series trailers have protective vinyl end caps on all four corners of the deck

TRAILER BRAKE OPTIONS



with Under Adjusted Brakes

DEXTER AXLE ELECTRIC

DRUM ☑ Stopping Distance at 60mph BRAKES



Triton Trailers with Electric Drum brakes have forward self adjusting brake drums called the Nev-R-Adjust™ system.

Electric brakes without the Nev-R-Adjust system typically needed time consuming maintenance for proper brake performance. The Nev-R-Adjust brakes will automatically adjust the electric drum mechanisms to assure proper braking and improved stopping, important when in emergency situations.



SURGE DISC BRAKES

Triton's exclusive Surge Disc Brakes system has more than three times the braking power of drum brakes allowing you to stop

Fewer moving parts, no interior rusting and self cleaning means less maintenance. No brake delay, fast brake cooling, and brakes that self adjust, all makes a quality braking system to own.

ACCESSORIES:

TRITON SNOWMOBILE TRAILERS styles to add more ease and function to every trailer. Further fit the trailer to your needs and uses.

FOR SINGLE AXLE V-FRONT TRAILERS



#07782

Add the #06942 DOS Shield to your V-front trailer for easy drive-off use and acts as a

XTD model trailers should have a gas shock or spring lift kit (shown right) installed to assist in tilting the deck with the added shield weight.

TILT ASSIST KITS Hold up your tilted trailer before

you start to load with a Triton Gas Shock Kit. The #06933 Gas Shock Lift Kit is for straight front tilt decks, and the #08267 Gas Shock Lift Kit is for V-front tilt decks.



Spring lift kits are great for holding up your tilted deck with salt shields, coveralls, and ramp shields installed. The #03173 Spring Lift Kit is for straight pole tongues and the #07984 Spring Lift Kit is for wishbone tongues.



FOR TANDEM AXLE V-FRONT TRAILERS

For added protection and #07782 Ramp Shield (shown left) is a very popular kit which is great for ATV's too. The #09576 DOS Shield (shown lower left) is also another option with more style. Both kits fold down for unloading and do not require you to turn or angle the trailer behind the vehicle.

ALUMINUM WELDED W/HIGH DENSITY PLASTIC RUNNERS



A great space saver for using the optional #08519 Spare Tire Carrier (lockable with an optional #03164 padlock) and the #01145 Swivel Wheel Tongue Jack. Order an optional matching spare



The simple and easy to use #02464 Spare Tire Bracket Kit is lockable with optional padlock.



#11840 Ramp Extension Kit is for trailers

with taller upgraded tires to decrease the steep ramp angle created due to the increased deck height.

DECK PROTECTION KITS

Triton Ski Guides protect your deck and work well with today's dual carbide ski's. Ski guides come in 5' lengths (#07289) and 6' lengths (#07289-1). Each kit will outfit a 10' or 12' deck.





The #04775 Aluminum Salt Shield is a popular and durable accessory to have. It is common to install a gas shock or spring lift kit to aid you in tilting the deck with the added salt shield weight.



The #07994-P 1 1/16" Bearing Kit will provide all you need to do one full axle along with a tube of Elite Lube high speed lithium axle grease. Also available is the #07995-P 1 3/8" Bearing Kit for the Elite16 and XT14



These D-ring style tiedowns are bolt-on kits with a backing plate for a secure and a strong tiedown position. Both the #07835 Flush Mount Tiedown Kit, and the #07834 Recessed D-ring Tiedown Kit are sold in



Easy to use and fully adjustable the whole length of the Quickslide™ tiedown channel on Elite trailers. The #08840 Quickslide™ Tiedown Kit (right), and the #07837 Quickslide™ Eyebolt Tiedown Kit (below) are both sold in pairs providing a strong position for your straps.



WHEEL COVERS

The #02784 Stake Pocket Kit allows you to add any kind of sides you want to your trailer. Comes as a bolt-on kit,10 stake pockets with hardware.







Dress up your trailer and protect your hubs with Triton Wheel Covers for 8" rims (#02620, shown above left) and 10" rims (#03376, shown above right).

The popular #06963 Front Rail Kit is a strong aluminum rail for an added "safety catch" while loading onto a 96" or 101" wide snowmobile trailer.



Add PWC hauling trailer with #06243 PWC Bunk Kit with bow post, the #06267

Hi Pro Bunk Kit or the #06265 Lo Pro Bunk Kit. Haul motorcycles with your trailer with the optional #11116 Quickslide™ Wheel Chock Kit. If you don't have the channel in your deck then order just

the chock (#03666) only and hardware separately.



The simple to use #02446 Add-A-Nut Kit allows you to add another tiedown position to your trailer's deck.

your 10' long deck trailer with the #08820 Rail Kit & the #09552 Add-on Ramp.

> Protect your machines on your XT4.5 or Elite 5 snowmobile trailer with a Buck Rail Kit and Stone Guard Kit.

AMP FOR XT4.5



COVERALLS: 2KF TWO PLACE COVERS

Quality Triton Coverall installed on a Triton snowmobile trailer completes a towing package that keeps your toys clean and safe from the elements. Triton Coverall sizes are 10', 11', 12' long and 101' wide.







The 2KF 4X4 Coverall's have a large 4'X4' access door that



is an easy to use "step in" access into the cover, this allows for an easy reach to the tiedowns. The 2KF Coverall's have the standard 2'x4' front access door to get into the coverall's front area.



COVERALL STANDARD FEATURES:

Aluminum diamond plate kick panel and stone guard for protection and durability for years to come



Welded aluminum unibody frame throughout for durable structural integrity and hassle-free use

Stainless steel pins with lanyard, can be locked into place with the optional #03164 padlock



Tapered side panels for better aerodynamics on the road and improved gas mileage

54" interior clearance height

Dual air flow vents for air flow and moisture control

AVAILABLE COLORS: BLACK, WHITE, GRAY, OR LIGHT METALLIC PEWTER

T-handle cover protects the key hole on the latch from the elements

All Triton Covers come with a safety prop arm for the added safety from extra weight on the cover and/or windy days

Gas shock lift kit opens the rear of the trailer only (shown right, used on 10' and 11' tilt trailers)

trailers. Center prop arms will allow you to open the rear or the front of the coverall on all trailers but is required on all V-front models and/or trailers with 12' decks.

(shown left).

Riser brackets lift the center prop arms up to give you the widest ski stance clearance on the marketing (left)

PICK THE COMBINATION THAT FITS YOUR NEEDS















Single Place 2KF Coverall gives you a narrow easy to see around and easy to tow option for one machine. The 2KF Single Place Cover

Elite 5 snowmobile

This trailer can be used for motorcycles when rear tiedowns and wheel chock is added



TRAILERS & COVERALLS ARE SHOWN W/OPTIONS

ACCESSO



Add the #03164 Long Shackle Padlock to your cover, a simple solution to locking down your cover by using the existing holes and pins.

#10810 Pull Strap Kit gives you the extra reach that you might need to pull the coverall down.



#10484 Dome Light Kit installs only the interior dome light for more light inside. (not shown)

#09356 STT Light Kit. will light up your cover for more presence on the road and added marker lights, dome light inside, & the tail lights.

#07869 Marker Light Kit includes the marker lights and an interior dome light. (not shown)

#11290 Lighted License Plate Kit easily on



LED LIGHTS ARE **AVAILABLE FOR ALL TRITON TRAILERS** & COVERALLS



The NEXT STEP in trailer hauling is a TC enclosed series trailer. This is not a covered snowmobile trailer, this is an enclosed trailer with a spring assisted rear ramp door, aerodynamic design, and a roomy interior for all your toys. The TC's have models for loading ATV's or sleds side by side or narrow TC models for staggered

loading of sleds or ATV's inline. Ask for our TC Series brochure or visit online for the full selection of models and accessories available.

> TC'S CAN HANDLE THE LARGEST STOCK SLEDS ON THE MARKET



FOR DETAILS VISIT US ONLINE AT: WWW.TRITONTRAILERS.COM

N SPECIFICATIONS:

** Brake options are surge disc brakes & electric drum brakes.

‡ Brake options will change the overall length of trailer.

		-				BRAKES		BRAKES					_	iii lerigar c			
MODEL	# OF VEHICLES	BED WIDTH	BED LENGTH	OVERALL LENGTH ‡	CARRYING	GVWR	CARRYING CAPACITY	GVWR	TRAILER WEIGHT	# OF AXLES	STD. TIRE	TIRE UPGRADE OPTIONS	TILT	STYLE	PLYWOOD THICKNESS	TIEDOWNS	BRAKE OPT.*
XT4.5	1	53	120	170	1350	1700			350	1	18.5X8C	Α	YES	SP	1/2	SINGLE	N/A
XT10-101	2	101	120	172	1505	1880			375	1	18.5X8C	BCD	YES	WB	1/2	SINGLE	N/A
XT10VR-101	2	101	120	197	1420	1880			460	1	18.5X8C	BCD	NO	SP	1/2	SINGLE	N/A
XT11-101	2	101	132	184	1455	1880			425	1	18.5X8C	BCD	YES	WB	1/2	SINGLE	N/A
XTD11-101	2	101	132	201	1425	1880			455	-1	18.5X8C	BCD	YES	WB	1/2	SINGLE	N/A
XTD12-101	2	101	144	212	1700	2200			500	1	20.5X10C	CDE	YES	WB	1/2	SINGLE	N/A
XT12-101	2	101	144	196	1735	2200			465	1	20.5X10C	CDE	YES	WB	1/2	SINGLE	N/A
XT12VR-101	2	101	144	215	1655	2200			545	1	20.5X10C	CDE	NO	SP	1/2	SINGLE	N/A
XT14-101	2	101	168	252	2195	2995	3600	4400	800	2	20.5X10C	CDE	NO	SP	1/2	SINGLE	1 OR 2 AXLES
XT16-101	3	101	192	268	2125	2995	3530	4400	870	2	20.5X10C	CDE	NO	SP	1/2	SINGLE	1 OR 2 AXLES
XT20-101	4	101	240	311	1920	2995	3325	4400	1075	2	20.5X10C	CDE	NO	SP	1/2	SINGLE	1 OR 2 AXLES
XT22-101	4	101	264	335	1725	2995	3130	4400	1270	2	20.5X10C	CDE	NO	SP	1/2	SINGLE	1 OR 2 AXLES
ELITE5	1	62	144	196	1825	2200			375	1	20.5X10C	CDE	YES	SP	5/8	QUICKSLIDE™	N/A
ELITE10-101WB	2	101	120	172	1470	1880			410	1	18.5X8C	BCDE	YES	WB	5/8	QUICKSLIDE™	N/A
ELITE10-101	2	101	120	170	1470	1880			410	1	18.5X8C	BCDE	YES	SP	5/8	QUICKSLIDE™	N/A
ELITE10R-101	2	101	120	170	1425	1880			455	1	18.5X8C	BCDE	YES	SP	5/8	QUICKSLIDE™	N/A
ELITE10VR-101	2	101	120	197	1395	1880			485	1	18.5X8C	BCDE	NO	SP	5/8	QUICKSLIDE™	N/A
ELITE11-101WB	2	101	132	184	1405	1880			475	1	18.5X8C	BCDE	YES	WB	5/8	QUICKSLIDE™	N/A
ELITE11-101	2	101	132	184	1405	1880			475	1	18.5X8C	BCDE	YES	SP	5/8	QUICKSLIDE™	N/A
ELITE11D-101	2	101	132	201	1395	1880			485	1	18.5X8C	BCD	YES	WB	5/8	QUICKSLIDE™	N/A
ELITE12-101WB	2	101	144	196	1695	2200			505	1	20.5X10C	CDE	YES	WB	5/8	QUICKSLIDE™	N/A
ELITE12-101	2	101	144	192	1695	2200			505	1	20.5X10C	CDE	YES	SP	5/8	QUICKSLIDE™	N/A
ELITE12R-101	2	101	144	192	1670	2200			530	-1	20.5X10C	CDE	YES	SP	5/8	QUICKSLIDE™	N/A
ELITE12VR-101	2	101	144	223	1615	2200			585	1	20.5X10C	CDE	NO	SP	5/8	QUICKSLIDE™	N/A
ELITE12VR-101-2	2	101	144	229	2270	2995	2775	3500	725	2	20.5X10C	CDE	NO	SP	5/8	QUICKSLIDE™	1 OR 2 AXLES
ELITE14-84	2	84	168	254	2125	2995	3530	4400	870	2	20.5X10C	CDE	NO	SP	5/8	QUICKSLIDE™	1 OR 2 AXLES
ELITE16-101	3	101	192	268	1995	2995	4000	5000	1000	2	ST145/R12E	DEFGHI	NO	SP	5/8	QUICKSLIDE™	1 OR 2 AXLES
ELITE20-101	4	101	240	311	1715	2995	3720	5000	1280	2	ST145/R12E	DEFGHI	NO	SP	5/8	QUICKSLIDE™	1 OR 2 AXLES
ELITE22-101	4	101	264	335	1520	2995	3525	5000	1475	2	ST145/R12E	DEFGHI	NO	SP	5/8	QUICKSLIDE™	1 OR 2 AXLES
Special order tra	ailers - c	all you	ır deale	er for det	ails												
XT14-101-1	2	101	168	252	2245	2995	2750	3500	750	1	20.5X10E	DFGHI	NO	SP	1/2	SINGLE	1 AXLE
Elite16-101-1	3	101	192	268	2045	2995	2550	3500	950	-1	20.5X10E	DFGHI	NO	SP	5/8	QUICKSLIDE™	1 AXLE
ELITE32-101	6	101	384	450			4190	6000	1810	3	20.5X10E	DEFG	NO	SP	5/8	QUICKSLIDE™	2 AXLES

All trailers with 14' or longer decks will have V-front decks and will have the swivel repair leak standard. Recommended tongue weight 7-10% of GVWR. Please note: It is the responsibility of the purchaser to adhere to the brake regarding trailers. For full information on the laws in your state, contact the appropriate State Motor Vehicle Department. Special Orders- These trailers are available through special order only. These will not be stocked by local dealers. Contact your local dealer for order lead times. WB = wishbone style. SP=straight pole style

5.30X12 C * # ST205/75 D14C *

20.5X10 C * # ST205/75 D14C *

20.5X10 E * # ST205/75 D15C *

ST145/R 12E*;

ST145/R 12E*;

ST175/80 D13C *;

ST15 SOME TIME LAPPARAGES REQUIRES PACKED

ST175/80 D13C *;

ST175/80 D13C *;

ST205/75 R15C ;

Triton U.S. Patent Numbers- 6,439,814 7,147,417 6,616,388 5,823,559 6,247,719 B1 6,186,580 B1 7,077,616 B2



Don't just take our word, Triton
Trailers meets NATM's strict
guidelines for trailer companies

ALUMINUM TRAILERS

06/11

857 WEST STATE STREET HARTFORD, WI 53027 262-670-6514 FAX 262-670-6545

800-232-3780 WWW.TRITONTRAILERS.COM